JBQ

Powering Your World

ABOUT JBQ

Has been a cosumer champion in the Telecommuniction industry since 2001, we believe you deserve flexibility, choice and an all around fair deal that delivers to all of your expectations. So jump on board with JBQ and find what you)ve been looking for great value, avanced devices, reliable support on the nationwide network and prompt service.

Wholesale and Retail Mobile phone Accessories

www.jbq.ae

Products Pages

Cable

Wall Charger

Car Charger

Power Bank

Watch Magnetic Charger

Speakers

Power Socket

NeckBand

HeadPhone

Earbuds


Earphone

Wireless Mic


HUB Devices

Phone Holder

Wireless Charging



Cable


Cable
JBQ

AX-11

code: 1001100

Spring 3.5mm to 3.5mm AUX Cable







AX-11

code: 1001100

Interface	**AUX To AUX**
Output Current	**-**
Wire Material	**Metal Spring**
Joint	**-**
Color	**Silver**
Length	**100 CM**

“Suitable for devices with 3.5mm interface audio out–put, can be connected Cars. speakers. headphones and other equipment metal plugs, aluminum alloy shells, braided wires,
lossless sound quality”

AX-21

code: 1001102

2 in 1 Digital Audio Cable







AX-21

code: 1001102

Interface	AUX To Lightning and Type-C
Output Current	-
Wire Material	Braided Nylon
Joint	Aluminum Alloy Connector
Color	Blue
Length	120 Cm
Core	Tinned Copper Wire
Transfer Speed	-
Spec A	Smart Chip
Spec B	Durable
Spec C	Lossless
Spec D	Audio Plug

“Suitable for devices with lightning, Type-c to 3.5mm interface audio output, can be connected Cars. speak-ers, headphones and other equipment. metal plugs, aluminum alloy shells, braided wires, lossless sound quality”

AX-31

code: 1001101

3in1 Digital Audio Cable





AX-31

code: 1001101

Interface	AUX To Lightning, Type-C, AUX
Output Current	-
Wire Material	Braided Nylon
Joint	Aluminum Alloy Connectors
Color	Black
Length	120 CM
Core	Tinned Copper Wire
Transfer Speed	-
Spec A	Smart Chip
Spec B	Durable
Spec C	Lossless
Spec D	Audio Plug

“Suitable for devices with lightning. Type-C, 3.5mm to 3.5mm lnterface Audio output, can be connected Cars. speakers, headphones and othor equipment, met-al plugs, aluminum alloyshells. braided wires. lossless sound quality”

CA-111 i

code: 1001150

Cable USB to Lightning 3A







CA-111 i

code: 1001150

Interface	**USB to Lightning**
Output Current	**3A MAX**
Wire Material	**-**
Joint	**-**
Color	**Black**
Length	**300 CM**
Core	**-**
Transfer Speed	**-**
Spec A	**copper plating**
Spec B	**at design, avoid inter twist problem**
Spec C	**strong and exible wire, long life spa-n.**
Spec D	**combine the function of data transmission and charging**

“Compatible for Phones. Tablets and similar devices Heat resistant feature makes it preventive from any heat damage Easy to hold having anti slip skin Tinned Copper wire that ensures best in class quality and safety for your devices Anti-interference.”

CA-111 a

code: 1001149

Cable USB to Android 3A







CA-111 a

code: 1001149

Interface	**USB to Android**
Output Current	**3A MAX**
Wire Material	**-**
Joint	**-**
Color	**Black**
Length	**300 CM**
Core	**-**
Transfer Speed	**-**
Spec A	**Copper plating**
Spec B	**Ergonomic lip**
Spec C	**at design. avoid inter twist problem**
Spec D	**QC 3.0**

Compatible for Phones. Tablets and similar devices Heat resistant feature makes it preventive from any heat damage Easy to hold having anti slip skin Tinned Copper wire that ensures best in class quality and safe-ty for your devices

CA-111 c

code: 1001151

Cable USB to Type-C 3A







CA-111 c

code: 1001151

Interface	USB to Type-C
Output Current	3A MAX
Wire Material	-
Joint	-
Color	Black
Length	300 CM
Core	-
Transfer Speed	-
Spec A	Copper plating
Spec B	Ergonomic lip
Spec C	QC 3.0
Spec D	at design. avoid inter twist problem

Compatible for Phones. Tablets and similar devices Heat resistant feature makes it preventive from any heat damage Easy to hold having anti slip skin Tinned Copper wire that ensures best in class quality and safe-ty for your devices

CA-500

code: 1001106

Cable Lightning 5A (Fast Charging)







CA-500

code: 1001106

Interface	**USB To Lightning**
Output Current	**5A Max**
Wire Material	**Braided Nylon**
Joint	**Aluminum Alloy Connectors**
Color	**Black**
Length	**150 CM**
Core	**Tinned Copper Wire**
Transfer Speed	**Yes**
Spec A	**High quality safety Core**

“Strong current output with Thunder speed to fully charge those devices which have port, such as phone or tablets, it is energy efficient and time Saving Built with material that has high flexibility and strong anti–resistance sothat it will protect the inner core ‘ Lightning transmission. Full charge, each other synchronous convey make work efficiencyis improved”

CA-504

code: 1001108

Cable Android 5A (Fast Charging)







CA-504

code: 1001108

Interface	USB To Micro USB
Output Current	5A Max
Wire Material	Braided Nylon
Joint	Aluminum Alloy Connectors
Color	Black
Length	150 CM
Core	Tinned Copper Wire
Transfer Speed	480 Mbps
Spec A	High Quality Safety Core

Strong current output with thunder speed to fully charge those devices which have port, such as phone or tablets, it is energy efficient and time saving Built with material that has high flexibility and strong anti-re-sistance sothat it will protect the inner core Android transmission. full charge, each other synchronous oonvey make work efficiencyis improved


CA-510 i

code: 1001109

Cable Lightning 5A (Fast Charging)







CA-510 i

code: 1001109

Interface	USB To Lightning
Output Current	5A MAX
Wire Material	Silicon
Joint	-
Color	Black / White / Purple
Length	150 CM
Core	Tinned Copper Wire
Transfer Speed	480 MBps
Spec A	Fire Proof
Spec B	Soft TPE
Spec C	Metall Shell

“Strong current output with thunder speed to fully charge those devices which have port, such as phone or tablets, it is energy eiffcient and time saving Built with TPE material that has high flexibility and strong anti-resistance sothat it will protect the inner core Lightning transmission. full charge, each othersynchro-nous convey make work efficiencyis improved”

CA-510 a

code: 1001109

USB To Micro USB







CA-510 a

code: 1001109

Interface	USB To Micro USB
Output Current	5A MAX
Wire Material	Silicon
Joint	-
Color	Black / White / Purple
Length	150 CM
Core	Tinned Copper Wire
Transfer Speed	480 MBps
Spec A	Fire Proof
Spec B	Soft TPE
Spec C	Metall Shell

“Strong current output with thunder speed to fully charge those devices which have port, such as phone or tablets, it is energy eiffcient and time saving Built with TPE material that has high flexibility and strong anti-resistance sothat it will protect the inner core Lightning transmission. full charge, each othersynchro-nous convey make work efficiencyis improved”

CA-510 c

code: 1001100

Cable USB to Type-C 3A







CA-510 c

code: 1001109

Interface	USB to Type-C
Output Current	5A MAX
Wire Material	Silicon
Joint	-
Color	Black / White / Purple
Length	150 CM
Core	Tinned Copper Wire
Transfer Speed	480 MBps
Spec A	Fire Proof
Spec B	Soft TPE
Spec C	Metall Shell

“Strong current output with thunder speed to fully charge those devices which have port, such as phone or tablets, it is energy eiffcient and time saving Built with TPE material that has high flexibility and strong anti-resistance sothat it will protect the inner core Lightning transmission. full charge, each othersynchro-nous convey make work efficiencyis improved”

CA-516

code: 1001112

Cable Type-C to Lightning 30W (Fast Charging)







CA-516

code: 1001112

Interface	Type-C to Lightning
Output Current	30W
Wire Material	Silicon
Joint	-
Color	Black / White / Purple
Length	150 CM
Core	Tinned Copper Wire
Transfer Speed	480 MBps
Spec A	Fire Proof
Spec B	Soft TPE
Spec C	Metall Shell

“Strong current output with thunder speed to fully charge those devices which have port, such as phone or tablets, it is energy eiffcient and time saving Built with TPE material that has high flexibility and strong an-ti-resistance sothat it will protect the inner core Light-ning transmission. full charge, each other synchronous convey make work e□iciencyis improved”

CA-520

code: 1001113

Cable USB to Lightning 6A (Super Fast Charging)



CA-520

code: 1001113

Interface	**USB to Lightning**
Output Current	**6A MAX**
Wire Material	**Naylon Braided**
Joint	**Aluminum Alloy Connector**
Color	**Black**
Length	**120 CM**
Core	**Tinned Copper Wire**
Transfer Speed	**480 MBps**
Spec A	**Super Fast Charging**
Spec B	**OD 6.0 Ultra Thick**

“Strong current output with thunder speed to fully charge those devices which have port, such as phone or tablets, it is energy effcient and time saving Built with material mar has high flexibility and strong anti-re-sistancesothat it will protect the inner core lightning transmission, full charge, each other synchronous convey make work eiffciencyis improved”

CA-522

code: 1001114

Cable USB to Type-C 6A (Super Fast Charging)







CA-522

code: 1001114

Interface	USB to Type-C
Output Current	6A MAX
Wire Material	Naylon Braided
Joint	Aluminum Alloy Connector
Color	Black
Length	120 CM
Core	Tinned Copper Wire
Transfer Speed	480 MBps
Spec A	Super Fast Charging
Spec B	OD 6.0 Ultra Thick

“Strong current output with thunder speed to fully charge those devices which have port, such as phone or tablets, it is energy effcient and time saving
Built with material mar has high flexibility and strong anti-resistance sothat it will protect the inner core lightning transmission, full charge, each other synchro-nous convey make work eiffciencyis improved”

CA-524

code: 1001115

Cable USB to Android 6A (Super Fast Charging)







CA-524

code: 1001115

Interface	USB to Android
Output Current	6A MAX
Wire Material	Naylon Braided
Joint	Aluminum Alloy Connector
Color	Black
Length	120 CM
Core	Tinned Copper Wire
Transfer Speed	480 MBps
Spec A	Super Fast Charging
Spec B	OD 6.0 Ultra Thick

“Strong current output with thunder speed to fully charge those devices which have port, such as phone or tablets, it is energy effcient and time saving Built with material mar has high flexibility and strong anti-resis-tance sothat it will protect the inner core
lightning transmission, full charge, each other synchro-nous convey make work eiffciencyis improved”

CA-533

code: 1001116

Cable Type-C to c.i.a (3 in 1)







CA-533

code: 1001116

Interface	Type-C to c.i.a (3 in 1)
Output Current	Type-C : 40W | Lightning : 20W | Android : 3A
Wire Material	Naylon Braided
Joint	Aluminum Alloy Connector
Color	Black
Length	150 CM
Core	Tinned Copper Wire
Transfer Speed	480 MBps
Spec A	Soft Anti Winding
Spec B	Soft Durable
Spec C	Preferred Material
Spec D	3 in 1 PD

Strong current output with thunder speed to fully charge those devices which have port, such as phone or tablets, it is energy efficient and time saving Built with weave material that has high flexibility and strong an-ti-resistance sothat it will protect the inner core Light-ning transmission, full charge. each other synchronous convey make work elticiencyis improved

CA-537

code: 1001117

Cable Type-C to c.i.c (3 in 1)







CA-537

code: 1001117

Interface	Type-C to c.i.c (3 in 1)
Output Current	"Type-C : 40W | Lightning : 20W"
Wire Material	Naylon Braided
Joint	Aluminum Alloy Connector
Color	Black
Length	150 CM
Core	Tinned Copper Wire
Transfer Speed	480 MBps
Spec A	Soft Anti Winding
Spec B	Soft Durable
Spec C	Preferred Material
Spec D	3 in 1 PD

Strong current output with thunder speed to fully charge those devices which have port, such as phone or tablets, it is energy efficient and time saving Built with weave material that has high flexibility and strong an-ti-resistance sothat it will protect the inner core Light-ning transmission, full charge. each other synchronous convey make work elticiencyis improved

CA-610 i

code: 1001118

Cable USB to Lightning 2.5A







CA-610 i

code: 1001118

Interface	USB to Lightning
Output Current	2.5A
Wire Material	Naylon Braided
Joint	Aluminum Alloy Connector
Color	Black
Length	100 CM
Core	Tinned Copper Wire
Transfer Speed	480 MBps
Spec A	High Quality Safety Core

“Strong current output with thunder speed to fuly charge those devices with have port. such as phone or tablets. it is energy efficient and time saving Built with wave material that has high flexibility aid strong an–ti–resistance sothat it will protect the inner core Light–ning transnission, full charge, each other synchronous convey make work ef□cericyis improved”

CA-610 a

code: 1001120

Cable USB to Android 2.5A







CA-610 a

code: 1001120

Interface	**USB to Android**
Output Current	**2.5A**
Wire Material	**Naylon Braided**
Joint	**Aluminum Alloy Connector**
Color	**Black**
Length	**100 CM**
Core	**Tinned Copper Wire**
Transfer Speed	**480 MBps**
Spec A	**High Quality Safety Core**

“Strong current output with thunder speed to fuly charge those devices with have port. such as phone or tablets. it is energy efficient and time saving Built with wave material that has high flexibility aid strong an–ti–resistance sothat it will protect the inner core Light–ning transnission, full charge, each other synchronous convey make work effciericyis improved”

CA-610 c

code: 1001119

Cable USB to type-C 2.5A







CA-610 c

code: 1001119

Interface	USB to Type-C
Output Current	2.5A
Wire Material	Naylon Braided
Joint	Aluminum Alloy Connector
Color	Black
Length	100 CM
Core	Tinned Copper Wire
Transfer Speed	480 MBps
Spec A	High Quality Safety Core

“Strong current output with thunder speed to fuly charge those devices with have port. such as phone or tablets. it is energy efficient and time saving Built with wave material that has high flexibility aid strong anti-resistance sothat it will protect the inner core Lightning transnission, full charge, each other synchro-nous convey make work effcienicyis improved”

AX-11

code: 1001100

Spring 3.5mm to 3.5mm AUX Cable







CA-612 i

code: 1001122

Interface	**USB to Lightning**
Output Current	**5A**
Wire Material	**TPE**
Joint	**Aluminum Alloy Connector**
Color	**Black**
Length	**120 CM**
Core	**Tinned Copper Wire**
Transfer Speed	**480 MBps**
Spec A	**High Quality Safety Core**

“Strong current output with thunder speed to fuly charge those devices with have port. such as phone or tablets. it is energy efficient and time saving Built with TPE material that has high flexibility aid strong an-ti-resistance sothat it will protect the inner core Light-ning transnission, full charge, each other synchronous convey make work effciericyis improved”

CA-612 a

code: 1001121

Cable USB to Android 5A







CA-612 a

code:1001121

Interface	**USB to Android**
Output Current	**5A**
Wire Material	**TPE**
Joint	**Aluminum Alloy Connector**
Color	**Black**
Length	**120 CM**
Core	**Tinned Copper Wire**
Transfer Speed	**480 MBps**
Spec A	**High Quality Safety Core**

“Strong current output with thunder speed to fuly charge those devices with have port. such as phone or tablets. it is energy efficient and time saving Built with TPE material that has high flexibility aid strong anti-resistance sothat it will protect the inner core Lightning transnission, full charge, each other synchro-nous convey make work ef□ciericyis improved”


CA-620 i

code: 1001126

Cable USB to Lightning 2.5A







CA-620 i

code: 1001126

Interface	USB to lightning
Output Current	2.5A
Wire Material	Braided Nylon
Joint	Aluminum Alloy Connector
Color	Black
Length	100 CM
Core	Tinned Copper Wire
Transfer Speed	480 MBps
Spec A	High Quality Safety Core

“Strong current output with thunder speed to fuly charge those devices with have port. such as phone or tablets. it is energy efficient and time saving Built with Weave material that has high fexibility aid strong anti-resistance sothat it will protect the inner core Lightning transnission, full charge, each other synchro-nous convey make work effciericyis improved”

CA-620 a

code: 1001125

Cable USB to Android 2.5A







CA-620 a

code: 1001125

Interface	USB to Android
Output Current	2.5A
Wire Material	Braided Nylon
Joint	Aluminum Alloy Connector
Color	Black
Length	100 CM
Core	Tinned Copper Wire
Transfer Speed	480 MBps
Spec A	High Quality Safety Core

“Strong current output with thunder speed to fuly charge those devices with have port. such as phone or tablets. it is energy efficient and time saving Built with Weave material that has high flexibility aid strong anti-resistance sothat it will protect the inner core Lightning transnission, full charge, each other synchro-nous convey make work effciericyis improved”

CA-620 c

code: 1001127

Cable USB to Type-C 2.5A







CA-620 c

code: 1001127

Interface	USB to Type-C
Output Current	2.5A
Wire Material	Braided Nylon
Joint	Aluminum Alloy Connector
Color	Black
Length	100 CM
Core	Tinned Copper Wire
Transfer Speed	480 MBps
Spec A	High Quality Safety Core

“Hands-free headset allows you to talk on the phone without holding the phone. Quality audio experience Engineered for
optimum voice quality. One touch button to answer and end calls.”

CA-633

code: 1001100

Fast Charging Data Cable







CA-633

code: 1801100

Interface	Usb – type C – type a –type i
Output Current	100cm
Wire Material	Naylon Braided
Joint	Aluminum Alloy Connector
Color	Black
Length	100CM
Core	-
Transfer Speed	-

Strong current output with thunder speed to fully charge those devices which have port, such as phone or tablets, it is energy efficient and time saving Built with weave material that has high flexibility and strong an–ti–resistance sothat it will protect the inner core Light–ning transmission, full charge. each other synchronous convey make work elticiencyis improved

CA-720 cc

code: 1001129

Cable Type-C to Type-C 60W







CA-720 cc

code: 1001129

Interface	Type-C to Type-C
Output Current	60W MAX
Wire Material	Nylon Braided+TPE
Joint	Aluminum Alloy Connector
Color	Black
Length	150 CM
Core	Tinned Copper Wire
Transfer Speed	480 MBps
Spec A	High Quality Safety Core
Spec B	PD Support
Spec C	Soft Anti Winding
Spec D	Soft Durable

“Strong current output with thunder speed to fuly charge those devices with have port. such as phone or tablets. it is energy efficient and time saving Built with Nylon Braided and TPE material that has high flexibility aid strong anti-resistance sothat it will protect the in-ner core Lightning transnission, full charge, each other synchronous convey make work ef□cericyis improved”

CA-720 ci

code: 1001128

Cable Type-C to Lightning 27W







CA-720 ci

code: 1001128

Interface	Type-C to lightning
Output Current	27W MAX
Wire Material	Nylon Braided+TPE
Joint	Aluminum Alloy Connector
Color	Black
Length	150 CM
Core	Tinned Copper Wire
Transfer Speed	480 MBps
Spec A	High Quality Safety Core
Spec B	PD Cable
Spec C	Soft Anti Winding
Spec D	Soft Durable

“Strong current output with thunder speed to fuly charge those devices with have port. such as phone or tablets. it is energy efficient and time saving Built with Weave andTPE material that has high flexibility aid strong anti-resistance sothat it will protect the inner core Lightning transnission, full charge, each other syn-chronous convey make work effciericyis improved”


CA-722 cc

code: 1001134

Cable Type-C to Type-C 60W







CA-722 CC

code: 1001134

Interface	Type-C to Type-C
Output Current	60W MAX
Wire Material	Enviromrntal TPE
Joint	-
Color	Black
Length	150 CM
Core	Tinned Copper Wire
Transfer Speed	480 MBps
Spec A	High Quality Safety Core
Spec B	PD Cable
Spec C	Soft Anti Winding
Spec D	Soft Durable

“Strong current output with thunder speed to fuly charge those devices with have port. such as phone or tablets. it is energy efficient and time saving Built with Weave andTPE material that has high flexibility aid strong anti-resistance sothat it will protect the inner core Lightning transnission, full charge, each other syn-chronous convey make work effciericyis improved”

CA-722 ci

code: 1001133

Cable Type-C to Lightning 27W







CA-722 ci

code: 1001133

Interface	**Type-C to lightning**
Output Current	**27W MAX**
Wire Material	**Enviromrntal TPE**
Joint	**-**
Color	**Black**
Length	**150 CM**
Core	**Tinned Copper Wire**
Transfer Speed	**480 MBps**
Spec A	**High Quality Safety Core**
Spec B	**PD Cable**
Spec C	**Soft Anti Winding**
Spec D	**Soft Durable**

“Strong current output with thunder speed to fuly charge those devices with have port. such as phone or tablets. it is energy efficient and time saving Built with Weave andTPE material that has high flexibility aid strong anti-resistance sothat it will protect the inner core Lightning transnission, full charge, each other syn-chronous convey make work effciericyis improved”

AX-11

code: 1001100

Cable Type-C to Lightning 27W







CA-728 ci

code:1001139

Interface	Type-C to Lightning
Output Current	27W MAX
Wire Material	Nylon
Joint	-
Color	Black
Length	150 CM
Core	Tinned Copper Wire
Transfer Speed	480 MBps
Spec A	High Quality Safety Core
Spec B	PD Cable
Spec C	Soft Anti Winding
Spec D	Soft Durable

“Strong current output with thunder speed to fuly charge those devices with have port. such as phone or tablets. it is energy efficient and time saving Built with Weave andTPE material that has high flexibility aid strong anti-resistance sothat it will protect the inner core Lightning transnission, full charge, each other syn-chronous convey make work effciericyis improved”

AX-11

code: 1001100

Cable USB to Lightning 3A (Auto







CA-728 i

code: 1001138

Interface	**USB to Lightning**
Output Current	**3A MAX**
Wire Material	**Nylon**
Joint	**-**
Color	**Black**
Length	**150 CM**
Core	**Tinned Copper Wire**
Transfer Speed	**480 MBps**
Spec A	**High Quality Safety Core**
Spec B	**PD Cable**
Spec C	**Soft Anti Winding**
Spec D	**Soft Durable**

“Strong current output with thunder speed to fuly charge those devices with have port. such as phone or tablets. it is energy efficient and time saving Built with Weave andTPE material that has high flexibility aid strong anti-resistance sothat it will protect the inner core Lightning transnission, full charge, each other syn-chronous convey make work effciericyis improved”

CA-730 i

code:1001132

Cable USB to lightning 3A







CA-730 i

code: 1001132

Interface	USB to Lightning
Output Current	3A MAX
Wire Material	Nylon Braided+TPE
Joint	Aluminum Alloy Connector
Color	Black
Length	150 CM
Core	Tinned Copper Wire
Transfer Speed	480 MBps
Spec A	High Quality Safety Core
Spec B	PD Support
Spec C	Soft Anti Winding
Spec D	Soft Durable

“Strong current output with thunder speed to fuly charge those devices with have port. such as phone or tablets. it is energy efficient and time saving Built with Weave andTPE material that has high flexibility aid strong anti–resistance sothat it will protect the inner core Lightning transnission, full charge, each other syn–chronous convey make work effciericyis improved”

CA-730 a

code: 1001131

Cable USB to Android 3A







CA-730 a

code: 1001131

Interface	**USB to Android**
Output Current	**3A MAX**
Wire Material	**Nylon Braided+TPE**
Joint	**Aluminum Alloy Connector**
Color	**Black**
Length	**150 CM**
Core	**Tinned Copper Wire**
Transfer Speed	**480 MBps**
Spec A	**High Quality Safety Core**
Spec B	**PD Support**
Spec C	**Soft Anti Winding**
Spec D	**Soft Durable**

“Strong current output with thunder speed to fuly charge those devices with have port. such as phone or tablets. it is energy efficient and time saving Built with Weave andTPE material that has high flexibility aid strong anti–resistance sothat it will protect the inner core Lightning transnission, full charge, each other syn–chronous convey make work effciericyis improved”

CA-730 c

code: 1001130

Cable USB to Type-C 3A







CA-730 c

code: 1001130

Interface	**USB to Type-C**
Output Current	**3A MAX**
Wire Material	**Nylon Braided+TPE**
Joint	**Aluminum Alloy Connector**
Color	**Black**
Length	**150 CM**
Core	**150 CM**
Transfer Speed	**480 MBps**
Spec A	**High Quality Safety Core**
Spec B	**PD Support**
Spec C	**Soft Anti Winding**
Spec D	**Soft Durable**

“Strong current output with thunder speed to fuly charge those devices with have port. such as phone or tablets. it is energy efficient and time saving Built with Weave andTPE material that has high flexibility aid strong anti-resistance sothat it will protect the inner core Lightning transnission, full charge, each other syn-chronous convey make work effciericyis improved”

CA-732 i

code: 1001137

Cable USB to lightning 3A







CA-732 i

code: 1001137

Interface	**USB to Lightning**
Output Current	**3A MAX**
Wire Material	**Enviromental TPE**
Joint	**-**
Color	**White**
Length	**150 CM**
Core	**Tinned Copper Wire**
Transfer Speed	**480 MBps**
Spec A	**High Quality Safety Core**
Spec B	**PD Support**
Spec C	**Soft Anti Winding**
Spec D	**Soft Durable**

“Strong current output with thunder speed to fuly charge those devices with have port. such as phone or tablets. it is energy efficient and time saving Built with Weave andTPE material that has high flexibility aid strong anti-resistance sothat it will protect the inner core Lightning transnission, full charge, each other syn-chronous convey make work effciericyis improved”

CA-732 a

code: 1001136

Cable USB to Android 3A







CA-732 a

code: 1001136

Interface	**USB to Android**
Output Current	**3A MAX**
Wire Material	**Enviromental TPE**
Joint	**-**
Color	**Black**
Length	**150 CM**
Core	**Tinned Copper Wire**
Transfer Speed	**480 MBps**
Spec A	**High Quality Safety Core**
Spec B	**PD Support**
Spec C	**Soft Anti Winding**
Spec D	**Soft Durable**

“Strong current output with thunder speed to fuly charge those devices with have port. such as phone or tablets. it is energy efficient and time saving Built with Weave andTPE material that has high flexibility aid strong anti–resistance sothat it will protect the inner core Lightning transnission, full charge, each other syn–chronous convey make work effciericyis improved”

CA-732 c

code: 1001135

Cable USB to Type-C 3A





CA-732 c

code: 1001135

Interface	**USB to Type-C**
Output Current	**3A MAX**
Wire Material	**Enviromental TPE**
Joint	**-**
Color	**Black**
Length	**150 CM**
Core	**Tinned Copper Wire**
Transfer Speed	**480 MBps**
Spec A	**High Quality Safety Core**
Spec B	**PD Support**
Spec C	**Soft Anti Winding**
Spec D	**Soft Durable**

“Strong current output with thunder speed to fuly charge those devices with have port. such as phone or tablets. it is energy efficient and time saving Built with Weave andTPE material that has high flexibility aid strong anti-resistance sothat it will protect the inner core Lightning transnission, full charge, each other syn-chronous convey make work effciericyis improved”

AX-11

code: 1001100

Cable Type-C to Type-C 100W







CA-1100 cc

code: 1001162

Interface	Type-C to Type-C
Output Current	100W MAX
Wire Material	Nylon Braided
Joint	-
Color	Black
Length	150 CM
Core	Tinned Copper Wire
Transfer Speed	480 MBps
Spec A	Super Fast Charge
Spec B	Superior resistance to fracture
Spec C	Tough and Durable

“Strong current output with thunder speed to fuly charge those devices with have port. such as phone or tablets. it is energy efficient and time saving Built with Weave andTPE material that has high flexibility aid strong anti-resistance sothat it will protect the inner core Lightning transnission, full charge, each other syn-chronous convey make work effciericyis improved”

CA-1130 ci

code: 1001164

Cable Type-C to Lightning 30W







CA-1130 ci

code: 1001164

Interface	Type-C to lightning
Output Current	30W MAX
Wire Material	Nylon Braided
Joint	Aluminum Alloy Connector
Color	Black
Length	200 CM
Core	Tinned Copper Wire
Transfer Speed	480 MBps
Spec A	Soft Anti Winding
Spec B	Soft Durable
Spec C	Preferred Material

“Strong current output with thunder speed to fuly charge those devices with have port. such as phone or tablets. it is energy efficient and time saving Built with Weave andTPE material that has high flexibility aid strong anti-resistance sothat it will protect the inner core Lightning transnission, full charge, each other syn-chronous convey make work effciericyis improved”

CA-1165 cc

code: 1001100

Cable Type-C to Type-C 65W







CA-1165 cc

code: 1001163

Interface	Type-C to Type-C
Output Current	65W MAX
Wire Material	Nylon Braided
Joint	Aluminum Alloy Connector
Color	Black
Length	200 CM
Core	Tinned Copper Wire
Transfer Speed	480 MBps
Spec A	Soft Anti Winding
Spec B	Soft Durable
Spec C	Preferred Material

“Strong current output with thunder speed to fuly charge those devices with have port. such as phone or tablets. it is energy efficient and time saving Built with Weave andTPE material that has high flexibility aid strong anti-resistance sothat it will protect the inner core Lightning transnission, full charge, each other syn-chronous convey make work effciericyis improved”

CB-12P1 ci

code: 1001144

Cable Type-C to Lightning 18W







CB-12P1 ci

code: 1001144

Interface	**Type-C to Lightning**
Output Current	**18W MAX**
Wire Material	**Nylon**
Joint	**-**
Color	**Black**
Length	**150 CM**
Core	**-**
Transfer Speed	**-**

“Strongest Smart USB Charger Sonic Speed USB Charging.
high Effciency. Safe And Reliable. with Correspond–ing USB Connection Cables . charging For, Phone. pad SmartPhones.mp4 psp GPS Bluetooth Device And TabletsCharge.etc.”

CB-100PH ci

code: 1001145

Cable Type-C to Lightning 100W







CB-100PH ci

code: 1001145

Interface	Type-C to Lightning
Output Current	100W MAX
Wire Material	Nylon Braided + TPE
Joint	-
Color	Black
Length	100 CM
Core	-
Transfer Speed	-
Spec A	copper plating
Spec B	ergonomic tip
Spec C	at design. avoid inter twist problem.
Spec D	strong and flexible wire. long life

Compatibh for Phones, Tablets and similar devices
Heat resistant feature makes it preventive from any heat damage Easy to hold having anti slip skin
Tinned Copper wire that ensures best in class quality and safety for your devices

CP-P30 cc

code: 1001155

Cable Type-C to Type-C 20W



CP-P30 cc

code: 1001155

Interface	Type-C to Type-C
Output Current	20W MAX
Wire Material	Naylon
Joint	-
Color	Black
Length	Jack 3.5mm
Core	Tinned Copper Wire
Spec A	Fast Charge
Spec B	LED indicator
Spec C	Smart Quick Charge
Spec D	3.1A

“Compatible for Phones. Tablets and similar devices Heat resistant feature makes it preventive from any heal damage Easy to hold having anti slip skin finned Copper wire that ensures besl in class qual-ity and safety for your devices Charge your mobile! Tab safely with high transmission speed. Combine the function of data transmission and charging Resist high pressure with excellent design Super purity copper con-ductor. ensuring a high quality. Compatible with any USB edition. Anti-interference.”

DT-01 i

code: 1001141

Cable USB to lightning 3.1A







DT-01 i

code: 1001141

Interface	USB to Lightning
Output Current	3.1A MAX
Wire Material	Nylon
Color	Black
Length	150 CM
Core	Tinned Copper Wire
Transfer Speed	480 MBps
Spec A	copper plating
Spec B	ergonomic lip
Spec C	at design، avoid inter twist problem
Spec D	Bending Protection

“Compatible for Phones. Tablets and similar devices Heat resistant feature makes it preventive from any heal damage Easy to hold having anti slip skin finned Copper wire that ensures besl in class qual–ity and safety for your devices Charge your mobile! Tab safely with high transmission speed. Combine the function of data transmission and charging Resist high pressure with excellent design Super purity copper con–ductor. ensuring a high quality. Compatible with any USB edition. Anti–interference.”

AX-11

code: 1001100

Cable USB to Android 3.1A







DT-01 a

code: 1001142

Interface	USB to Android
Output Current	3.1A MAX
Wire Material	Nylon
Color	Black
Length	150 CM
Core	Tinned Copper Wire
Transfer Speed	480 MBps
Spec A	copper plating
Spec B	ergonomic lip
Spec C	Bending Protection
Spec D	Alta Temperatura Protection

“Compatible for Phones. Tablets and similar devices Heat resistant feature makes it preventive from any heal damage Easy to hold having anti slip skin finned Copper wire that ensures besl in class qual–ity and safety for your devices Charge your mobile! Tab safely with high transmission speed. Combine the function of data transmission and charging Resist high pressure with excellent design Super purity copper con–ductor. ensuring a high quality. Compatible with any USB edition. Anti–interference.”


DT-02 i

code: 1001140

Cable USB to lightning 3.1A







DT-02 i

code: 1001140

Interface	**USB to Lightning**
Output Current	**3.1A MAX**
Wire Material	**Nylon**
Joint	**–**
Color	**Black**
Length	**150 CM**
Core	**Tinned Copper Wire**
Transfer Speed	**480 MBps**
Spec A	**copper plating**
Spec B	**ergonomic lip**

“Compatible for Phones. Tablets and similar devices Heat resistant feature makes it preventive from any heal damage Easy to hold having anti slip skin
finned Copper wire that ensures besl in class qual–ity and safety for your devices Charge your mobile! Tab safely with high transmission speed. Combine the function of data transmission and charging Resist high pressure with excellent design Super purity copper con–ductor. ensuring a high quality. Compatible with any USB edition. Anti–interference.”

DT-03 a

code: 1001143

Cable USB to Android 3.1A







DT-03 a

code: 1001143

Interface	**USB to Android**
Output Current	**3.1A MAX**
Wire Material	**Nylon**
Joint	**-**
Color	**Black**
Length	**150 CM**
Core	**Tinned Copper Wire**
Transfer Speed	**480 MBps**
Spec A	**copper plating**
Spec B	**ergonomic lip**
Spec C	**Bending Protection**

“Compatible for Phones. Tablets and similar devices Heat resistant feature makes it preventive from any heal damage Easy to hold having anti slip skin finned Copper wire that ensures besl in class qual–ity and safety for your devices Charge your mobile! Tab safely with high transmission speed. Combine the function of data transmission and charging Resist high pressure with excellent design Super purity copper con–ductor. ensuring a high quality. Compatible with any USB edition. Anti–interference.”


DT-U33 c.c.i

code: 1001153

Cable (3 in 1) USB to c.c.i







DT-U33 c.c.i

code: 1001153

Interface	USB to c.c.i port (3in1)
Output Current	3.5A MAX
Wire Material	Zinc Alloy and Braided
Joint	-
Color	Black
Length	150 CM
Core	-
Transfer Speed	-
Spec A	Durable & Anti-Fracture
Spec B	High Purity Zinc Alloy

It can meet different equipment requirements / length-en and toughen Sr, withstand repeated 90 degree vio-lent bending test / high purity zinc alloy, anti—oxida-tion and corrosion resistance”

DT-U33 C.L.M

code: 1001153

Cable (3 in 1) USB to c.l.m







DT-U33 C.L.M

code: 1001153

Interface	USB to c.l.m port (3in1)
Output Current	3.5A MAX
Wire Material	Zinc Alloy and Braided
Joint	-
Color	Black
Length	150 CM
Core	-
Transfer Speed	-
Spec A	Durable & Anti-Fracture
Spec B	High Purity Zinc Alloy

It can meet different equipment requirements / length-
en and toughen Sr, withstand repeated 90 degree vio-
lent bending test / high purity zinc alloy, anti—oxida-
tion and corrosion resistance”

DT-U33 i.i.c

code: 1001154

Cable (3 in 1) USB to i.i.c







DT-U33 i.i.c

code: 1001154

Interface	USB to i.i.c port (3in1)
Output Current	3.5A MAX
Wire Material	Zinc Alloy and Braided
Joint	-
Color	Black
Length	150 CM
Core	-
Transfer Speed	-
Spec A	Durable & Anti-Fracture
Spec B	High Purity Zinc Alloy

It can meet different equipment requirements / length-en and toughen Sr, withstand repeated 90 degree vio-lent bending test / high purity zinc alloy, anti—oxida-tion and corrosion resistance”

HD-4K 2m

code: 1001158

Cable HDMI TO HDMI 2m







HD-4K 2m

code: 1001158

Interface	**HDMI to HDMI**
Output Current	**-**
Wire Material	**-**
Joint	**-**
Color	**Black**
Length	**200 CM**
Core	**-**
Transfer Speed	**-**
Spec A	**HDMI 2.0**
Spec B	**High Dynamic Range (HDR)**
Spec C	**4k - UHD**

"Accord with HDTV2 0 i□cation requirements. Adopting the standard of crude copper19+1 wire core –1–ground wire. Supports dual screen display and 4 voice signal streams.
Support Doldy True–HD, DTS—HD, Master audio. and support up to 32 sound channels at the same time.
24K gold–plated connector aluminum alloy housing, can maintain accurate auxiliary and high durability.
High speed Ethemet—support10!100mbps network–transmisslon, the maximum speed can reach 10lJmbps PS4/Blu rayf/projector/ set–top box/HD TV. all appli–cable."

HD-4K 3m

code: 1001158

Cable HDMI TO HDMI 3m







HD-4K 3m

code: 1001158

Interface	HDMI to HDMI
Output Current	-
Wire Material	-
Joint	-
Color	Black
Length	300 CM
Core	-
Transfer Speed	-
Spec A	HDMI 2.0
Spec B	High Dynamic Range (HDR)
Spec C	4k - UHD

“Accord with HDTV2 0 i□cation requirements. Adopting the standard of crude copper19+1 wire core –1–ground wire. Supports dual screen display and 4 voice signal streams.
Support Doldy True–HD, DTS——HD, Master audio. and support up to 32 sound channels at the same time.
24K gold–plated connector aluminum alloy housing, can maintain accurate auxiliary and high durability.
High speed Ethemet——support10!100mbps network–transmisslon, the maximum speed can reach 10lJmbps
PS4/Blu rayf/projector/ set–top box/HD TV. all appli–cable.”

HD-4K 5m

code: 1001158

Cable HDMI TO HDMI 5m







HD-4K 5m

code: 1001158

Interface	HDMI to HDMI
Output Current	-
Wire Material	-
Joint	-
Color	Black
Length	500 CM
Core	-
Transfer Speed	-
Spec A	HDMI 2.0
Spec B	High Dynamic Range (HDR)
Spec C	4k - UHD

"Accord with HDTV2 0 i□cation requirements. Adopting the standard of crude copper19+1 wire core –1–ground wire. Supports dual screen display and 4 voice signal streams.
Support Doldy True–HD, DTS——HD, Master audio. and support up to 32 sound channels at the same time.
24K gold–plated connector aluminum alloy housing, can maintain accurate auxiliary and high durability.
High speed Ethemet——support10!100mbps network–transmisslon, the maximum speed can reach 10lJmbps
PS4/Blu rayf/projector/ set–top box/HD TV. all appli–cable."


IP-20

code: 1001104

Lightning to 3.5 AUX Audio







IP-20

code: 1001104

Interface	Lightning To AUX
Output Current	-
Wire Material	-
Joint	-
Color	Black
Length	100 CM
Core	-
Transfer Speed	-
Spec A	Gold Plating process
Spec B	High-Speed Transmission

“This is anAUX audio cable Lighining tc 3.5mm stereo audio adapter.
High quality wire core ,high fidelity sound quality, lossless audio transmission.
Compatible with devices with Lightining ports .upgrade automatically, no popups Supports equipment with AUX ports.”


JMH-021

code: 1001103

Lightning To 3.5 AUX Audio Cable







JMH-021

code: 1001103

Interface	Lightning To AUX
Output Current	-
Wire Material	-
Joint	-
Color	-
Length	100 CM
Core	-
Transfer Speed	-
Spec A	Wire Control Adaptor Cable

“Answering the phone is not provided
by the product.How to extend the service life of the heast.adapter.Be careful not to fold the headphone plug and do not pull the headset wire.More than half of the earphone damage is due to the unproper use of the headset plug and headphone wire.
Plug the wire gently,and please do not plug too fast.”

MH-088

code: 1001161

Cable MH-088 (3 in 1) a.i.c to HDMI







MH-088

code: 1001161

Interface	(3 in 1) a.i.c to HDMI
Output Current	-
Wire Material	-
Joint	-
Color	Black
Length	200 CM
Core	-
Transfer Speed	-
Spec A	Video and Charge
Spec B	play and plug
Spec C	4K 1080 HDTV

“TMDS TECH NO
LOGY,CONSlSTENT QUALITY
TMDS transmits differential signals,
reducing electro magnetic interference from
signalsto transmission lines, reducing EMI and
improving accurate signal transmission rates.”


MHT-T88

code: 1001159

Cable Type-C to HDMI+USB 1.8m







MHT-T88

code: 1001159

Interface	Type-C to HDMI+USB
Output Current	-
Wire Material	-
Joint	-
Color	Black
Length	180 CM
Core	-
Transfer Speed	-
Spec A	Video and Charge
Spec B	play and plug
Spec C	4K 1080 HDTV

“USB—C To HDMI Adapter Project content from your mobile device onto a larger screen to view in High-Definition format. Specifications:
– Image resolution: Up to 4K x 2K
(3840 x 2160 HD)
Package Contents: USB-C To HDMI +USB Cable
Work with: Mobile Phone&Note Book1MacBook”

MHT-U88

code: 1001160

Cable HDMI Projection Connection







MHT-U88

code: 1001160

Interface	HDMI Projection Connection
Color	Black
Length	180 CM
Spec A	Video and Charge
Spec B	play and plug
Spec C	4K 1080 HDTV
Spec D	USB 2.0 TO TYPE C

“HDMI Adapter for ios phone/pad , which supports ios phone and pad featuring the lightning connectoruse it with ios phone or pad to enjoy your favoritelocal or on–line entertainment easily on your HDTVor projector in up to 1080p HD display––rnoviesTV shows, music , video . audio, photo and more fromYou Tube. IE browser Chrome browser and etc. Nomore only one–seifenjoy happiness by smallscreens and tiny speakers. Use it , so you canshare the happiness with your family or friendtogether on your big HDTV or projector Every–thing you love, now on your TV or projector”

PCA-24

code: 1001100

240w Super Fast Power Delivery







PCA-24

code: 1801100

Interface	Type C to C PD Cable
Output Current	240W
Wire Material	Nylon Braided
Joint	Aluminum Alloy Connector
Color	silver-black
Length	100cm
Core	100cm
Transfer Speed	40Gbps
Spec A	OD 6.0 Bold Wire
Spec B	High speed charge for laptop

“Strong current output with thunder speed to fuly charge those devices with have port. such as phone or tablets. it is energy efficient and time saving Built with Weave andTPE material that has high flexibility aid strong anti-resistance sothat it will protect the inner core Lightning transnission, full charge, each other syn-chronous convey make work effciericyis improved”


USB-111 i

code: 1001147

Cable USB to Lightning 3A







USB-111 i

code: 1001147

Interface	**USB to Lightning**
Output Current	**3A MAX**
Wire Material	**-**
Joint	**-**
Color	**Black**
Length	**200 CM**
Core	**-**
Transfer Speed	**-**
Spec A	**copper plating**
Spec B	**ergonomic lip**

“Compatible for Phones. Tablets and similar devices Heat resistant feature makes it preventive from any heat damage Easy to hold having anti slip skin Tinned Copper wire that ensures best in class quali–ty and safety for your devices Charge your mobile! Tab Safely with high transmission speed. Combine the fun–dion of data transmission and charging Resist high pressure with excellent design Super purity copper con–ductor. ensuring a high quality. Compatible with any USB edition. Anti–interference.”

USB-111 c

code: 1001148

Cable USB to Type-C 3A





USB-111 c

code: 1001148

Interface	**USB to Type-C**
Output Current	**3A MAX**
Wire Material	**-**
Joint	**-**
Color	**Black**
Length	**200 CM**
Core	**-**
Transfer Speed	**-**
Spec A	**copper plating**
Spec B	**ergonomic lip**

“Compatible for Phones. Tablets and similar devices Heat resistant feature makes it preventive from any heat damage Easy to hold having anti slip skin Tinned Copper wire that ensures best in class quali-ty and safety for your devices Charge your mobile! Tab Safely with high transmission speed. Combine the fun-dion of data transmission and charging Resist high pressure with excellent design Super purity copper con-ductor. ensuring a high quality. Compatible with any USB edition. Anti-interference.”

Wall Charger

Wall Charger

F-2USB i

code: 1301111

Wall Charger 3pin Dual Port With Lightning Cable







F-2USB i

code: 1301111

input	AC 100V-240V
output	DC 3.6.6V-3A / 3.1A
Charging Port	2*USB
Material	PC + ABS
Cable include	Lightning
Spec A	6.5A Quick Charge

“Fast USB output
Safety Standard with CE and ROHS Certi□cantion
Wirh safety protection including overheat. over—cur-rent, over voltage
over—charge. short circuit. over—load protection
Aluminum alloy and PC+ABS mateial,fast charging with good cooling”

F-2USB a

code: 1301112

Wall Charger 3pin Dual Port With Android Cable







F-2USB a

code: 1301112

input	AC 100V-240V
output	DC 3.6.6V-3A / 3.1A
Charging Port	2*USB
Material	PC + ABS
Cable include	Android
Spec A	6.5A Quick Charge

“Fast USB output
Safety Standard with CE and ROHS Certi□cantion
Wirh safety protection including overheat. over——cur–rent, over voltage
over——charge. short circuit. over——load protection
Aluminum alloy and PC+ABS mateial,fast charging with good cooling”

F-2USB c

code: 1301110

Wall Charger 3pin Dual Port With Android Cable







F-2USB c

code: 1301110

input	AC 100V-240V
output	DC 3.6.6V-3A / 3.1A
Charging Port	2*USB
Material	PC + ABS
Cable include	Type-C
Spec A	6.5A Quick Charge

“Fast USB output
Safety Standard with CE and ROHS Certi□cantion
Wirh safety protection including overheat. over——cur-
rent, over voltage
over——charge. short circuit. over——load protection
Aluminum alloy and PC+ABS mateial,fast charging with
good cooling”

HC-12F2 a

code: 1301114

Wall Charger 3pin Dual Port With Android Cable







HC-12F2 a

code: 1301114

input	AC 100V-240V
output	5V 6.2A Max
Charging Port	2*USB
Material	Aluminium Alloy / PC + ABS
Cable include	Android
Spec A	6.2A Quick Charge
Spec B	Current over voltage protection
Spec C	over discharge protection
Spec D	over charge protection
Spec E	QC 3.0

“Strongest Smart USB Charger Sonic SpeedUsb Charging.
high Effciency. Safe And Reliable. with Corresponding USB ConnectiOnCables . charging For, Phone. pad Smart Phones.mp4 psp GPS Bluetooth Device And TabletsCharge.etc.”

HC-12F2 i

code: 1301113

Wall Charger 3pin Dual Port With lightning Cable







HC-12F2 i

code: 1301113

input	AC 100V-240V
output	5V 6.2A Max
Charging Port	2*USB
Material	Aluminium Alloy / PC + ABS
Cable include	Lightning
Spec A	6.2A Quick Charge
Spec B	Current over voltage protection
Spec C	over discharge protection
Spec D	over charge protection
Spec E	QC 3.0

“Strongest Smart USB Charger Sonic SpeedUsb Charging.
high Effciency. Safe And Reliable. with Corresponding USB ConnectiOnCables . charging For, Phone. pad Smart Phones.mp4 psp GPS Bluetooth Device And

HC-12F2 c

code: 1301115

Wall Charger 3pin Dual Port With Type-C Cable





HC-12F2 c

code: 1301115

input	AC 100V-240V
output	5V 6.2A Max
Charging Port	2*USB
Material	Aluminium Alloy / PC + ABS
Cable include	Type-C
Spec A	6.2A Quick Charge
Spec B	Current over voltage protection
Spec C	over discharge protection
Spec D	over charge protection
Spec E	QC 3.0

“Strongest Smart USB Charger Sonic SpeedUsb Charging.
high Effciency. Safe And Reliable. with Corresponding USB ConnectiOnCables . charging For, Phone. pad Smart Phones.mp4 psp GPS Bluetooth Device And TabletsCharge.etc.”

HC-30W cc

code: 1301103

Wall Charger 3pin Dual Port 30W With Type-C to Type-C Cable







HC-30W cc

code: 1301103

input	AC 100V-240V
output	5V - 30W
Charging Port	1*USB + 1* Type-C
Material	ABS
Cable include	Type-C to Type-C
Spec A	Quick Charge
Spec B	Fire Proof Material
Spec C	Intelligent Cooling

Charge your mobile! Tab safely with high transmission speed. Combine the function of data transmission and charging Resist high pressure with excellent design Super purity copper conductor, ensuring a high quality Compatible with any USB edition. Anti-interference.

HC-30W ci

code: 1301104

Wall Charger 3pin Dual Port 30W With Type-C to Lightning Cable







HC-30W ci

code: 1301104

input	**AC 100V-240V**
output	**5V - 30W**
Charging Port	**1*USB + 1* Type-C**
Material	**ABS**
Cable include	**Type-C to Lightning**
Spec A	**Quick Charge**
Spec B	**Fire Proof Material**
Spec C	**Intelligent Cooling**

Charge your mobile! Tab safely with high transmission speed. Combine the function of data transmission and charging Resist high pressure with excellent design Super purity copper conductor, ensuring a high quality Compatible with any USB edition. Anti-interference.

HC-740

code: 1301100

Wall Charger 3pin Dual Port 40W







HC-740

code: 1301100

input	**AC 100V-240V 50/60Hz**
output	**5V-3A / 9V-2.22A / 12V-1.6A**
Charging Port	**5V-3A / 9V-2.22A / 12V-1.6A**
Material	**-**
Cable include	**-**
Spec A	**Fast Charge high power**
Spec B	**Safty Explosion Proof**
Spec C	**Smart Chip**
Spec D	**Portable Small Type**

Wall Charger with 2 port Type-C with High power output (40W PD) and output interfaced is 3pin include smart chip.

HC-745

code: 1301101

Wall Charger 3pin Dual Port 45W







HC-745

code: 1301101

input	AC 100V-240V 50/60Hz
output	5V-3A / 9V-2.22A / 12V-3A / 15V-3A / 20V-2.25A（45W）
Charging Port	1*USB + 1* Type-C
Material	-
Cable include	-
Spec A	Fast Charge high power
Spec B	Safty Explosion Proof
Spec C	Smart Chip
Spec D	Portable Small Type

Wall Charger with 2 port (1*USB+1*Type-C) with High power output (45W PD) and output interfaced is 3pin include smart chip.

HC-765

code: 1301102

Wall Charger 3pin Dual Port GaN 65W







HC-765

code: 1301102

input	AC 100V-240V 50/60Hz
output	Type-C :5V-3A / 9V-2.22A / 12V-3A 15V-3A / 20V-2.25A
Charging Port	1*USB + 1* Type-C
Material	-
Cable include	-
Spec A	Fast Charge high power
Spec B	Safty Explosion Proof
Spec C	Smart Chip
Spec D	Portable Small Type
Spec E	PD + QC 3.0

Wall Charger with 2 port (1*USB+1*Type-C) with High power output (65W PD) and output interfaced is 3pin include smart chip.

HC-DP15 cc

code: 1301118

Wall Charger 3pin Dual Port With Type-C to Type-C Cable







HC-DP15 cc

code: 1301118

input	AC100V-240V 50-60Hz 0.5A
output	"USB-C Output :DC 5V-3A / 9V-2A / 12V-1.67A USB-A Output :DC 5V-3A / 9V-2A / 12V-1.5A Tolal Output:20W Cable Output:3A"
Charging Port	1*USB + 1*Type-C
Cable include	Type-C to Type-C
Spec A	20W Quick Charge
Spec B	Current over voltage protection
Spec C	over discharge protection
Spec D	over charge protection
Spec E	QC 3.0 + PD

“Hands-free headset allows you to talk on the phone without holding the phone. Quality audio experience Engineered for optimum voice quality. One touch button to answer and end calls.”

HC-DP15 ci

code: 1301119

Wall Charger 3pin Dual Port With Type-C to Lightning Cable







HC-DP15 ci

code: HC-DP15 ci

input	AC100V-240V 50-60Hz 0.5A
output	"USB-C Output :DC 5V-3A / 9V-2A / 12V-1.67A USB-A Output :DC 5V-3A / 9V-2A / 12V-1.5A Tolal Output:20W Cable Output:3A"
Charging Port	1*USB + 1*Type-C
Cable include	Type-C to Lightning
Spec A	20W Quick Charge
Spec B	Current over voltage protection
Spec C	over discharge protection
Spec D	over charge protection
Spec E	QC 3.0 + PD

“Hands-free headset allows you to talk on the phone without holding the phone. Quality audio experience Engineered for optimum voice quality. One touch button to answer and end calls.”

HC-DP20 cc

code: 1301120

Wall Charger 2pin Dual Port With Type-C to Type-C Cable







HC-DP20 CC

code: 1301120

input	AC100V-240V 50-60Hz 0.5A
output	"USB-C Output :DC 5V-3A / 9V-2A / 12V-1.67A Tolal Output:20W Cable Output:3A"
Charging Port	1*Type-C
Cable include	Type-C toType-C
Spec A	20W Quick Charge
Spec B	Current over voltage protection
Spec C	over discharge protection
Spec D	over charge protection
Spec E	QC 3.0 + PD

“Hands-free headset allows you to talk on the phone without holding the phone. Quality audio experience Engineered for optimum voice quality. One touch button to answer and end calls.”

HC-DP20 ci

code: 1301121

Wall Charger 2pin Dual Port With Type-C to Lightning Cable







HC-DP20 ci

code: 1301121

input	**AC100V-240V 50-60Hz 0.5A**
output	**"USB-C Output :DC 5V-3A / 9V-2A / 12V-1.67A Tolal Output:20W Cable Output:3A"**
Charging Port	**1*Type-C**
Cable include	**Type-C to Lightning**
Spec A	**20W Quick Charge**
Spec B	**Current over voltage protection**
Spec C	**over discharge protection**
Spec D	**over charge protection**
Spec E	**QC 3.0 + PD**

“Hands-free headset allows you to talk on the phone without holding the phone. Quality audio experience Engineered for optimum voice quality. One touch button to answer and end calls.”

HC-LC20

code: 1301105

Wall Charger 3pin Dual Port 20W With Type-C to Type-C Cable









HC-LC20

code: 1301105

input	AC 100V-240V
output	"USB-C :DC 5V-3A / 9V-2.22A / 12V-1.67A(20W Max) USB-A :DC5V-2.4A Cable Output:20W"
Charging Port	1*USB + 1* Type-C
Material	-
Cable include	Type-C to Type-C
Spec A	Quick Charge
Spec B	PD 20W

Charge your mobile! Tab safely with high transmission speed. Combine the function of data transmission and charging Resist high pressure with excellent design Super purity copper conductor, ensuring a high quality Compatible with any USB edition. Anti-interference.

HC-LP20

code: 1301107

Wall Charger 3pin Dual Port 20W With Type-C to Lightning Cable







HC-LP20

code: 1301107

input	AC 100V-240V
output	"USB-C :DC 5V-3A / 9V-2.22A / 12V-1.67A(20W Max) USB-A :DC5V-2.4A Cable Output:20W"
Charging Port	1*USB + 1* Type-C
Material	-
Cable include	Type-C to lightning
Spec A	Quick Charge
Spec B	PD 20W

Charge your mobile! Tab safely with high transmission speed. Combine the function of data transmission and charging Resist high pressure with excellent design Super purity copper conductor, ensuring a high quality Compatible with any USB edition. Anti-interference.

HC-NP20 i

code: 1301117

Wall Charger 2pin Dual Port With Lightning Cable





HC-NP20 i

code: 1301117

input	**AC100V-240V 50-60Hz 0.5A**
output	**"USB-C Output :DC 5V-3A / 9V-2A / 12V-1.67A USB-A Output :DC 5V-3A / 9V-2A / 12V-1.5A Tolal Output:20W Cable Output:3A"**
Charging Port	**1*USB + 1*Type-C**
Material	**-**
Cable include	**Lightning**
Spec A	**20W Quick Charge**
Spec B	**Current over voltage protection**

“Strongest Smart USB Charger Sonic SpeedUsb Charging. high Effciency. Safe And Reliable. with Corre-sponding USB Connection Cables . charging For, Phone. pad SmartPhones.mp4 psp GPS Bluetooth Device And Tablets Charge.etc.”

HC-NP20 c

code: 1301116

Wall Charger 2pin Dual Port With Type-C Cable







HC-NP20 c

code: 1301116

input	**AC100V-240V 50-60Hz 0.5A**
output	**"USB-C Output :DC 5V-3A / 9V-2A / 12V-1.67A USB-A Output :DC 5V-3A / 9V-2A / 12V-1.5A Tolal Output:20W Cable Output:3A"**
Charging Port	**1*USB + 1*Type-C**
Material	**-**
Cable include	**Type-C**
Spec A	**20W Quick Charge**
Spec B	**Current over voltage protection**

“Strongest Smart USB Charger Sonic SpeedUsb Charging. high Effciency. Safe And Reliable. with Corre-sponding USB Connection Cables . charging For, Phone. pad SmartPhones.mp4 psp GPS Bluetooth Device And Tablets Charge.etc.”

HC-P5

code: 1301109

Wall Charger 3pin Dual Port 45W With Type-C to Lightning Cable







HC-P5

code: 1301109

input	AC 100V-240V
output	5V - 45W
Charging Port	1*USB + 1* Type-C
Material	Carbon fiber + PVC
Cable include	Type-C to Lightning
Spec A	QC 3.0 + 20W
Spec B	45W Output
Spec C	Current Over Voltage Protection

Charge your mobile! Tab safely with high transmission speed. Combine the function of data transmission and charging Resist high pressure with excellent design Su-per purity copper conductor, ensuring a high quality Compatible with any USB edition. Anti-interference.

HC-P10

code: 1301108

Wall Charger 3pin Dual Port 45W With Type-C to Type-C Cable








HC-P10

code: 1301108

input	AC 100V-240V
output	5V - 45W
Charging Port	1*USB + 1* Type-C
Material	Carbon fiber + PVC
Cable include	Type-C to Type-C
Spec A	QC 3.0 + 20W
Spec B	45W Output
Spec C	Current Over Voltage Protection

Charge your mobile! Tab safely with high transmission speed. Combine the function of data transmission and charging Resist high pressure with excellent design Su-per purity copper conductor, ensuring a high quality Compatible with any USB edition. Anti-interference.



Car Charger

Car Charger



C1

code: 1201116

Car Charger 2 port QC 3.0 + PD

38W with Type-C Cable







C1

code: 1201116

input	DC 12–24V
output	"Total Output : 38W Max USB–C : 5V–2.4A / 9V–2.22A / 12V–1.67A USB–A: 6V–2.4A / 9V–2A / 12V–1.5A"
Charging Port	1*USB + 1*Type–C
Material	Zing Alloy
Cable include	Type–C Cable
Spec A	PD + QC 3.0
Spec B	Imported Chip
Spec C	Strong Shell

“Adapt high quality energy management protocol like IC and PD, Auto identify the charging device and dis–tribute the current intelligently, Safe, fast and dura–ble,Charging without damaging the battery.Dual USB ports can charge fast simultaneously. Max output reach up to 38W,Main and vice drive can charge at the same time.Support fast charging protocol like Sarnsung: PD and QC3.U, Suitable to phones;lpad; Macbook; Xiaomi Air notebook and so on.With USB–C and Lightning ca–ble for IDS devices,”” it can also charge quickly or iPad Pro; iPhone3 and iphoneX.Meets safety standards and sets multiple protection system like over–current;over–voltage; over–temperature short circuit and anti–elec–tromagnetic interference protection.”

C-65 a

code: 1201104

Car Charger Dual USB With Android







C-65 a

code: 1201104

input	AC 100-240 V
output	DC 5V- 6.5A
Charging Port	2*USB
Material	Aluminium Alloy / PC + ABS
Cable include	Android Cable
Spec A	Qualcomm 3.0 – Quick Charge
Spec B	Over Heat Protection
Spec C	Over Current Protection
Spec D	Over Voltage Protection
Spec E	Short Circuit Protection

Strongest Smart USB Car Charger Sonic SpeedUsb Charging high Effciency. Safe And Reliable. with Corre-sponding USB Connection cable . charging For . Phone. pad Smart Phone smpe pep GPS Bluetooth Device And Tablets Charge.etc.

C-65 i

code: 1201102

Car Charger Dual USB With Lightning







C-65 i

code: 1201102

input	AC 100-240 V
output	DC 5V- 6.5A
Charging Port	2*USB
Material	Aluminium Alloy / PC + ABS
Cable include	Lightning Cable
Spec A	Qualcomm 3.0 – Quick Charge
Spec B	Over Heat Protection
Spec C	Over Current Protection
Spec D	Over Voltage Protection
Spec E	Short Circuit Protection

Strongest Smart USB Car Charger Sonic SpeedUsb Charging high Effciency. Safe And Reliable. with Corre-sponding USB Connection cable . charging For . Phone. pad Smart Phone smpe pep GPS Bluetooth Device And Tablets Charge.etc.

C-503Q a

code: 1201118

Car Charger 2 port QC 3.0 36W







C-503Q a

code: 1201118

input	DC 12-24V
output	3.6.6V-3A / 6.9V-2A / 9.12V-1.5A (36W)
Charging Port	2*USB
Material	Zing Alloy
Cable include	Android Cable
Spec A	QC 3.0
Spec B	Imported Chip
Spec C	Strong Shell
Spec D	Pure White LED

“2 USB charging port, you can simultaneously charge for 2 digital devices, built-in smart charge recognition chip, the market can be the most rapid charge of the product. During the charging process, the motherboard can play the output over-current, over-voltage protection, con-stant voltage constant current, anti-electromagnet-ic interference, and fully guarantee the user equipment is not damaged. USB use (Qualcomm QC1.0 standard) automatic device IC design, you can control the cur-rent parameters of different equipment charging, bet-ter compatible and automatically set the Samsung and Apple products charge current. Fast charge USB and Quick Charge3.0 agreement with the mobile phone and other devices to quickly charge to about 1% per minute charge to the power of about 80%, into the trickle charge state.”

C-503Q c

code: 1201119

Car Charger 2 port QC 3.0 36W





C-503Q c

code: 1201119

input	DC 12-24V
output	3.6.6V-3A / 6.9V-2A / 9.12V-1.5A (36W)
Charging Port	2*USB
Material	Zing Alloy
Cable include	Type-C Cable
Spec A	QC 3.0
Spec B	Imported Chip
Spec C	Strong Shell
Spec D	Pure White LED

“2 USB charging port, you can simultaneously charge for 2 digital devices, built-in smart charge recognition chip, the market can be the most rapid charge of the product. During the charging process, the motherboard can play the output over-current, over-voltage protection, con-stant voltage constant current, anti-electromagnet-ic interference, and fully guarantee the user equipment is not damaged. USB use (Qualcomm QC1.0 standard) automatic device IC design, you can control the cur-rent parameters of different equipment charging, bet-ter compatible and automatically set the Samsung and Apple products charge current. Fast charge USB and Quick Charge3.0 agreement with the mobile phone and other devices to quickly charge to about 1% per minute charge to the power of about 80%, into the trickle charge state.”

C-503Q i

code: 1201117

Car Charger 2 port QC 3.0 36W







C-503Q i

code: 1201117

input	DC 12-24V
output	3.6.6V-3A / 6.9V-2A / 9.12V-1.5A (36W)
Charging Port	2*USB
Material	Zing Alloy
Cable include	Lightning Cable
Spec A	QC 3.0
Spec B	Imported Chip
Spec C	Strong Shell
Spec D	Pure White LED

“2 USB charging port, you can simultaneously charge for 2 digital devices, built-in smart charge recognition chip, the market can be the most rapid charge of the product. During the charging process, the motherboard can play the output over-current, over-voltage protection, con-stant voltage constant current, anti-electromagnet-ic interference, and fully guarantee the user equipment is not damaged. USB use (Qualcomm QC1.0 standard) automatic device IC design, you can control the cur-rent parameters of different equipment charging, bet-ter compatible and automatically set the Samsung and Apple products charge current. Fast charge USB and Quick Charge3.0 agreement with the mobile phone and other devices to quickly charge to about 1% per minute charge to the power of about 80%, into the trickle charge state.”

C510Q c

code: 1201115

Car Charger 2 port QC 3.0 + PD

38W with Type-C Cable







C510Q c

code: 1201115

input	**DC 12–24V**
output	**Total Output : 38W Max** **USB–C : 5V–2.4A / 9V–2.22A / 12V–1.67A** **USB–A: 6V–2.4A / 9V–2A / 12V–1.5A"**
Charging Port	**1*USB + 1*Type–C**
Material	**–**
Cable include	**Type–C Cable**
Spec A	**PD + QC 3.0**
Spec B	**Imported Chip**
Spec C	**Strong Shell**

“Use imported main control chip to detect the charging device distribute the required current for the device. Pure white LED energy Lamp,the light is even and not glaring needn’t to be in dark at night and the atmo–sphere inside the car is more elegant.Support dual USB ports and the total output is up to 36W,
charging for main driver and vice driver simultaneously. Shell is durable and made of international grade fire–proof material, even used in heavily heated car it can stilt promise amazing performance and not burning it–self.”

C510Q i

code: 1201114

Car Charger 2 port QC 3.0 + PD 38W







C510Q i

code: 1201114

input	DC 12–24V
output	"Total Output : 38W Max USB–C : 5V–2.4A / 9V–2.22A / 12V–1.67A USB–A: 6V–2.4A / 9V–2A / 12V–1.5A"
Charging Port	1*USB + 1*Type–C
Material	Zing Alloy
Cable include	Lightning Cable
Spec A	PD + QC 3.0
Spec B	Imported Chip
Spec C	Strong Shell
Spec D	Pure White LED

“Use imported main control chip to detect the charging device distribute the required current for the device. Pure white LED energy Lamp,the light is even and not glaring needn’t to be in dark at night and the atmo–sphere inside the car is more elegant.
Support dual USB ports and the total output is up to 36W,
charging for main driver and vice driver simultaneously. Shell is durable and made of international grade fire–proof material, even used in heavily heated car it can stilt promise
amazing performance and not burning itself.”

CC-D5i

code: 0

Fast Car Charger USB to IOS







CC-D5 i

code: 0

input	DC 12-24V
output	5V - 3.4A + 3.4A
Charging Port	1*USB + 1*Type-C
Material	Zing Alloy
Cable include	Lightning Cable
Spec A	QC 3.0 + QC 3.0
Spec B	Imported Chip
Spec C	Strong Shell
Spec D	ABS Body

"Use imported main control chip to detect the charging device distribute the required current for the device. Pure white LED energy Lamp,the light is even and not glaring needn't to be in dark at night and the atmo-sphere inside the car is more elegant.
Support dual USB ports and the total output is up to 36W,
charging for main driver and vice driver simultaneously. Shell is durable and made of international grade fire-proof material, even used in heavily heated car it can stilt promise
amazing performance and not burning itself."

CC-24

code: 1201122

Car Charger 2port USB







CC-24

code: 1201122

input	DC 12-24V
output	5V 2.4A
Charging Port	2*USB
Material	Metal
Cable include	-
Spec A	Fast Charge
Spec B	2port
Spec C	Smart Chip
Spec D	Safety

“2.4A electric current, itelligent current distribution,dual usb for two devices intelligent ic.stable voltage and current for charging in safety and speed”

CC-420ci

code: O

48W Super Fast Charger with cable type C to Type Lightning







CC-420ci

code: 0

input	DC 12-24V
output	USB 5V/18W 9V/2A 12V/1.5A PD 5V/30W 9V/2.22A 12V/1.67A
Charging Port	1*USB and 1*usb-C
Material	Metal
Cable include	-
Spec A	Fast Charge/PD
Spec B	2port
Spec C	Smart Chip
Spec D	Safety

"2.4A electric current, itelligent current distribution,dual usb for two devices intelligent ic.stable voltage and current for charging in safety and speed"

CC-736

code: 1201111

Car Charger 2 port QC 3.0







CC-736

code: 1201111

input	DC 12-24V
output	"36W MAX 5V-3A / 9V-2A / 12V-1.5A"
Charging Port	2*USB
Material	Metal
Cable include	-
Spec A	36W Quick Charge
Spec B	Smart Chip
Spec C	Explosion Proof

Compatible for Phones, Tablets and similar devices Heat resistant feature makes it preventive from any heat damage Easy to hold having anti slip skin Tinned Copper wire that ensures best in class quality and sa-tety for your devices Charge your mobile! Tab safe-ly with high transmission speed. Combine the function of data transmission and charging Resist high pressure with excellent design Super purity copper conductor, ensuring a high quality. Compatible with any USB edi-tion. Anti-interference.

CC-7380

code: 1201112

Car Charger 2 port QC 3.0 + PD 38W







CC-7380

code: 1201112

input	DC 12-24V
output	"Total Output : 38W Max USB-C : 5V-3A / 9V-2.22A / 12V-1.67A USB-A: 5V-3A / 9V-2A 12V-1.5A"
Charging Port	1*USB + 1*Type-C
Material	-
Cable include	-
Spec A	PD + QC 3.0
Spec B	Smart Chip
Spec C	Explosion Proof

Compatible for Phones, Tablets and similar devices Heat resistant feature makes it preventive from any heat damage Easy to hold having anti slip skin Tinned Copper wire that ensures best in class quality and sa-tety for your devices Charge your mobile! Tab safe-ly with high transmission speed. Combine the function of data transmission and charging Resist high pressure with excellent design Super purity copper conductor, ensuring a high quality. Compatible with any USB edi-tion. Anti-interference.

CC-7382

code: 1201113

Car Charger 2 port QC 3.0 + PD 38W





CC-7382

code: 1201113

input	DC 12-24V
output	"Total Output : 38W Max USB-C : 5V-3A / 9V-2.22A / 12V-1.67A USB-A: 5V-3A / 9V-2A 12V-1.5A"
Charging Port	1*USB + 1*Type-C
Material	-
Cable include	-
Spec A	PD + QC 3.0
Spec B	Smart Chip
Spec C	Explosion Proof

Compatible for Phones, Tablets and similar devices Heat resistant feature makes it preventive from any heat damage Easy to hold having anti slip skin Tinned Copper wire that ensures best in class quality and sa-tety for your devices Charge your mobile! Tab safe-ly with high transmission speed. Combine the function of data transmission and charging Resist high pressure with excellent design Super purity copper conductor, ensuring a high quality. Compatible with any USB edi-tion. Anti-interference.

CC-BM3

code: 1201120

Multifunction intelligent car adaptor







CC-BM3

code: 1201120

input	DC 12-24V
output	36W
Charging Port	2*USB + 1*Type-C
Material	-
Cable include	-
Spec A	One Touch Hands free Call
Spec B	PD + QC 4.0
Spec C	Battery Voltage Display

*Tune the car FM radio to a blank station between 875MHz and 108.0MHz
*Use the car FM radio to tune the FM transmitter to the same □equency as the radio
*Choose to wirelessly oonnect the product to a smart device for calls, music. and navigation
to the car audio system, or you can insert a MICRO SD cardU disk to enter the product,and ttwill automatically play music.

CC-D5 c

code: 1201106

Car Charger Dual USB With Type-C Cable







CC-D5 c

code: 1201106

input	DC 12-24V
output	5V- 3.4A + 3.4A (QC 3.0)
Charging Port	2*USB
Material	Zinc Alloy + PVC
Cable include	Type-C Cable
Spec A	Qualcomm 3.0 – Quick Charge
Spec B	Smart IC current matching
Spec C	electric protection

Charge your mobile! Tab safely with high transmission speed. Combine the
function of data transmission and charging Resist high pressure with
excellent design Super purity copper conductor, ensur–ing a high quality.
Compatible with any USB edition. Anti–interference.

CC-D5 a

code: 1201105

Car Charger Dual USB With Android Cable







CC-D5 c

code: 1201106

input	DC 12-24V
output	5V- 3.4A + 3.4A (QC 3.0)
Charging Port	2*USB
Material	Zinc Alloy + PVC
Cable include	Android Cable
Spec A	Qualcomm 3.0 – Quick Charge
Spec B	Smart IC current matching
Spec C	electric protection

Charge your mobile! Tab safely with high transmission speed. Combine the
function of data transmission and charging Resist high pressure with
excellent design Super purity copper conductor, ensur–ing a high quality.
Compatible with any USB edition. Anti–interference.


CC-P8 cc

code: 1201108

Car Charger 45W With Type-C to Type-C Cable







CC-P8 cc

code: 1201108

input	DC 12-24V
output	5V- 45W (QC 3.0+20W)
Charging Port	1*USB + 1*Type-C
Material	Zinc Alloy + PVC
Cable include	Type-C to Type-C Cable
Spec A	Qualcomm 3.0 - Quick Charge
Spec B	Smart IC current matching
Spec C	ABS body with soft touch finish

Charge your mobile! Tab safely with high transmission speed. Combine the
function of data transmission and charging Resist high pressure with
excellent design Super purity copper conductor, ensur-ing a high quality.
Compatible with any USB edition. Anti-interference.

CC-P8 ci

code: 1201108

Car Charger 45W With Type-C to Type-C Cable







CC-P8 ci

code: 1201109

input	DC 12-24V
output	5V- 45W (QC 3.0+20W)
Charging Port	1*USB + 1*Type-C
Material	Zinc Alloy + PVC
Cable include	Type-C to Lightning Cable
Spec A	Qualcomm 3.0 - Quick Charge
Spec B	Smart IC current matching
Spec C	ABS body with soft touch finish

Charge your mobile! Tab safely with high transmission speed. Combine the
function of data transmission and charging Resist high pressure with
excellent design Super purity copper conductor, ensur-ing a high quality.
Compatible with any USB edition. Anti-interference.

CC-P9

code: 1201110

Car Charger 2 port PD+QC 4.0







CC-P9

code: 1201110

input	DC12-24V Total power : 30W[MAX]
output	"USB-A: 4.5V-5A / 5V-4.5A / 9V-3A /12V-2.5A USB-C: 5V-3A / 9V-3A / 12V-25A / 15V-2A / 20V-1.5A"
Charging Port	1*USB + 1*Type-C
Material	Zinc Alloy
Cable include	-
Spec A	Qualcomm 4.0 + PD
Spec B	30W Quick Charge

Compatible for Phones, Tablets and similar devices Heat resistant feature makes it preventive from any heat damage Easy to hold having anti slip skin Tinned Copper wire that ensures best in class qual-ity and satety for your devices Charge your mobile! Tab safely with high transmission speed. Combine the function of data transmission and charging Resist high pressure with excellent design Super purity copper con-ductor, ensuring a high quality. Compatible with any USB edition. Anti-interference.

CC-PM4

code: 1201121

Multifunction intelligent car adaptor 25W







CC-PM4

code: 1201121

input	DC 12-24V
output	"QC4.0+ Output: 3.3-11V=3A USB PD Output: 5V=3A / 9V=3A / 12V=2.5A / 15V=-2A / 20V=1.5A AUTO-ID Output: 5V=1.5A"
Charging Port	1*USB + 1*Type-C
Material	Zinc Alloy
Cable include	-
Spec A	One Touch Hands free Call
Spec B	Bluetooth Distance: 10M
Spec C	U-Disk/TF Card Capacity: <32G
Spec D	Transmitting Frequency; 87.5-108.0MHz

Bluetooth can connect two phones at the same time.
Realize all functions like picking up calls; rejecting calls and re-dial by one button.
PD+-003.0 Quick Charge
Fast charging, support fast phone charging protocol.
Real-time monitor for car's battery voltage can detect whether voltage is within safe-using range and avoid annoyance that car can not start-up.
Bluetooth FM Transmitter Adopt Bluetooth 2.46 wireless transmission and FM emission technokogy, U-Disk and TF available."

CN-45 i

code: 1201100

Car Charger Dual USB With Lightning Cable







CN-45 i

code: 1201100

input	DC 12-24V
output	DC 5V- 3.4A
Charging Port	2*USB
Material	Aluminium Alloy / PC + ABS
Cable include	Lightning Cable
Spec A	Over Power Protection
Spec B	Over-Charging Protection

Strongest Smart USB Car Charger Sonic SpeedUsb Charging high Ef□ciency. Safe And Reliable. with Corre-sponding USB Connection cable . charging For . Phone. pad Smart Phonesmpf pep GPS Bluetooth Device And Tablets Charge.etc.

CN-45 a

code: 1201101

Car Charger Dual USB With Android Cable







CN-45 a

code: 1201101

input	DC 12-24V
output	DC 5V- 3.4A
Charging Port	2*USB
Material	Aluminium Alloy / PC + ABS
Cable include	Android Cable
Spec A	Over Power Protection
Spec B	Over-Charging Protection

Strongest Smart USB Car Charger Sonic SpeedUsb Charging high Ef□ciency. Safe And Reliable. with Corre–sponding USB Connection cable . charging For . Phone. pad Smart Phonesmpf pep GPS Bluetooth Device And Tablets Charge.etc.

Power Bank



PowerBank

PB-7210

code: 2201101

Powerbank 10000 mAh 22.5W







PB-7210

code: 2201101

input	Type-C Input: 5V/2.4A 9V/2A 12V/1.5A Micro Input: 5V/2.4A 9V/2A 12V/1.5A"
output	USB 1&2 Output: 10V/2.25A 9V/2A 12V/1.5 Type-C Output: 5V/3A 9V/2.22A 12V/1.67A
Capacity	10000mAh/37Wh
Material	ABS
Cable include	20cm Type-C Cable
Color	Black
Spec A	22.5 W
Spec B	LED

“intelligently turn into sleep mode when not working, keep the energy consumption and maintain long time charging power. Multiple protection to ensure securi-ty. Short circuit protection, over-heat protection, over voltage protection, over charge protection, magnetism protection, over discharge protection.
When connected to devices, the power bank would de-tect and indicate how much power the device need to ensure fast and reliable charging.
ATL lithium-ion battery is effectively avoid heating, leaking and
bursting, make it smaller and thinner.”

PB-7720

code: 2201103

Powerbank 20000 mAh 20W







PB-7720

code: 2201103

input	"Type-C Input: 5V/2.4A 9V/2A 12V/1.5A Micro Input: 5V/2.4A 9V/2A 12V/1.5A"
output	"USB 1&2 Output: 1UV/2.25/X 9V/2A 12V/1.5 Type-C Output: 5V/3A 9V/2.22A 12V/1.67A[P-
Capacity	20000mAh/37Wh
Material	ABS
Cable include	20cm Type-C Cable
Color	Black
Spec A	20 W
Spec B	LED

“intelligently turn into sleep mode when not working, keep the energy consumption and maintain long time charging power. Multiple protection to ensure securi-ty. Short circuit protection, over-heat protection, over voltage protection, over charge protection, magnetism protection, over discharge protection.
When connected to devices, the power bank would de-tect and indicate how much power the device need to ensure fast and reliable charging.
ATL lithium-ion battery is effectively avoid heating, leaking and
bursting, make it smaller and thinner.”

PB-7730

code: 2201105

Powerbank 10000 mAh 22.5W







PB-7730

code: 2201105

input	Type-C Input: DC 5V/3A 9V/2A 12V/1.5A
output	Output: DC4.5V/5A 5V/4.5A 9/2.5A 12V/1.87A PD 22.5 Output C: D5V/3A 9V/A 12V/1.5A
Capacity	10000mAh
Material	ABS
Cable include	20cm Type-C Cable
Color	Black
Spec A	22.5 W
Spec B	LED

“intelligently turn into sleep mode when not working, keep the energy consumption and maintain long time charging power. Multiple protection to ensure securi-ty. Short circuit protection, over-heat protection, over voltage protection, over charge protection, magnetism protection, over discharge protection.
When connected to devices, the power bank would de-tect and indicate how much power the device need to ensure fast and reliable charging.
ATL lithium-ion battery is effectively avoid heating, leaking and
bursting, make it smaller and thinner.”

PB-7740

code: 2201104

Powerbank 20000 mAh 22.5W







PB-7740

code: 2201104


input	Type-C Input: DC5V-3A / 9V-2A / 12V-1.5A
output	"USB Output: DC 5V-5A / 5V-4.5A / 9V-2.5A / 12V-1.87A [PD22.5W] Type-C Output: DC 5V-3A / 9V-2A / 12V-1.5A"
Capacity	10000mAh
Material	ABS
Cable include	20cm Type-C Cable
Color	Black
Spec A	22.5 W
Spec B	LED

“intelligently turn into sleep mode when not working, keep the energy consumption and maintain long time charging power. Multiple protection to ensure securi-ty. Short circuit protection, over-heat protection, over voltage protection, over charge protection, magnetism protection, over discharge protection.
When connected to devices, the power bank would de-tect and indicate how much power the device need to ensure fast and reliable charging.
ATL lithium-ion battery is effectively avoid heating, leaking and
bursting, make it smaller and thinner.”

PQ-10

code: 2201100

Powerbank 10000 mAh 22.5W







PB-7740

code: 2201104

input	**USB-C : 5V=3A, 9V=2A, 12V==1.5A**
output	**"USB-C : 5V=2.4A. 9V=2.22A, 12V=1.67A [20W] USB-A : 5V=4.5A, 4.5V-15A, 9V=2A. 12V=1.5A [22.5W] Total Power: 22.5W Max"**
Capacity	**10000mAh/37Wh**
Material	**ABS**
Cable include	**20cm Type-C Cable**
Color	**Grey**
Spec A	**Air Allowable**
Spec B	**PD 22.5W and LCD**

“intelligently turn into sleep mode when not working, keep the energy consumption and maintain long time charging power. Multiple protection to ensure securi-ty. Short circuit protection, over-heat protection, over voltage protection, over charge protection, magnetism protection, over discharge protection.
When connected to devices, the power bank would de-tect and indicate how much power the device need to ensure fast and reliable charging.
ATL lithium-ion battery is effectively avoid heating, leaking and
bursting, make it smaller and thinner.”

Watch Magnetic Charger

Watch Magnetic CHARGER

CW-50

code: 1401100

Watch Magnetic Charger Cable







CW-50

code: 1401100

Cable Length	100 CM
Device Support	Apple watch
Material	TPE
Cable include	–

Spec A

Watch Magnetic Charger Cable

Charge your mobile I Tab safely with high transmission speed Combine the function of data transmission and charging.Resist high pressure with excellent design. Super purity copper conductor. ensuring a high quality. Compatible with any USB edition.
Anti–interference.”

CW-56

code: 1401101

Watch Magnetic Charger Cable








CW-56

code: 1401101

Cable Length	100 CM
Device Support	Apple watch
Material	Zinc Alloy + PC
Cable include	-
Spec A	Lightning and Type-C interface
Spec B	Electroplating
Spec C	IP Input : 5V-1A
Spec D	Type-C Input : 5V-1A

Charge your mobile I Tab safely with high transmission speed Combine the function of data transmission and charging.Resist high pressure with excellent design. Super purity copper conductor. ensuring a high quality. Compatible with any USB edition.
Anti-interference.”



Speakers

Speakers

WSP-10

code: 2401101 – 2401102 – 2401106

Wireless Speaker – Extra Bass







WSP-10

code: 2401101 – 2401102 – 2401106

Power	12W RMS
Capacity Battery	1800 mAh Battery
Battert Type	Lithium Polymer
Play time	Up to 8 hours
Charging Time	2 hours
Frequency response	85 Hz – 15KHz
Dimensions	225mm*83mm*95mm
Spec A	TWS System
Spec B	Version 5.2 more stable connection
Spec C	Water Drop Resistance

Wireless Speaker with 1800 mAh Lithium polymer bat–tery can play up to 8 hours and charge in 2 hours. Include coloful LED with extra bass and support TWS System.

WSP-15

code: 2401100

Portable Wireless Speaker







WSP-15

code: 2401100

Power	-
Capacity Battery	800 mAh
Battert Type	-
Play time	Up to 4 hours
Charging Time	-
Frequency response	-
Dimensions	-
Spec A	stand for phone
Spec B	Support TF Card
Spec C	USB / FM include

Portable Wireless Speaker
Support TF Card / USB / FM include stand for phone

WSP-20

code: 2401105 – 2401107

Portable mini Wireless Speaker







WSP-20

code: 2401105 - 2401107

Power	5W
Capacity Battery	600 mAh
Battert Type	-
Play time	Up to 4 hours
Charging Time	5 hours
Frequency response	120 Hz - 20KHz
Dimensions	-
Spec A	Carry the player with you
Spec B	TWS System
Spec C	-

Portable mini Wireless Speaker
Working range up to 10m with 1*5W drive

SP-1104

code: 0

Portable mini Wireless Speaker







SP-1104

code: 0

Power	-
Capacity Battery	800mAh
Battert Type	-
Play time	2-4H
Charging Time	About 3H
Frequency response	-
Dimensions	10M
Spec A	wireless
Spec B	High-quality sound
Spec C	-

Portable mini Wireless Speaker
Working range up to 10m

SP-1108

code: O

Lanyard portable wireless speaker







SP-1108

code: 0

Power	10W
Capacity Battery	1500mAh
Battert Type	-
Play time	2-4H
Charging Time	About 3H
Frequency response	-
Dimensions	10M
Spec A	wireless
Spec B	High-quality sound
Spec C	Card playback

Portable mini Wireless Speaker
Working range up to 10m

SP-1100

code: 0

Portable wireless speaker








SP-1100

code: 0

Power	8W
Capacity Battery	1500mAh
Battert Type	-
Play time	3-6H
Charging Time	About 3H
Frequency response	-75db - 95db
Dimensions	10M
Spec A	wireless،FM،TF،USB،USB
Spec B	Type C

Portable mini Wireless Speaker
Working range up to 10m



Power Socket

PowerSocket

SC-1418

code: 1501101

Power Socket 65W PD (5*output)







SC-1418

code: 1501101

input	100-250V 50/60Hz 10A Max
output	"Rated Parameter: 2500W-10A[Max] 250V- USB-C1 PD Output: 5V-3A / 9V-3A / 12V-3A / 15V-3A / 20V-3.25A -- 65W MAX PPS: 3.3V-.16V-3.25A / 3.3V-.21V-3A USB-C2 PD Output: 5V-3A / 9V-3A / 12V-3A / 15V-3A / 20V-3.25A -- 65W MAX PPS : 3.3V-.16V-3.25A / 3.3V-.21V-3A USB-A1 Output: 4.5V-5A / 5V-5A / 5V-3A / 9V-3A / 12V-3A / 20V-3A 60W MAX USB-A2 Output:4.5V-5A / 5V-5A / 5V-3A / 9V-3A / 12V-3A / 20V-3A 60W MAX C1+C2 = 45W+20W -- 65W Max C2+A1+A2 = 5V-5A 25W Max C1+A1+A2 = PD 45W+7.5W+7.5W Max Total Power: 65W Max"
Charging Port	2*USB + 2*Type-C + 1*Socket 3pin
Cable Length	2000 mm
Material	PVC Anti Flaming
Spec A	Overcharge Protection
Spec B	Overload Protection
Spec C	Anti-Surge Protection
Spec D	Short Circuit Protection
Spec E	65W

SC-2311

code: 1501102

Power Socket 20W PD (5*output)







SC-2311

code: 1501102

input	100-250V / 50-60HZ 10A[Max]
output	"Rated Power: 2500W Max PD Output: 5V-3A / 9V-2.22A / 12V-1.67A / 20W [Max] QC3.0 Output: 5V-3A / 9V-2A /12V-1.5A 18W[Max] USB-A Output: 5V-2.4A 12W Max USB-C + USB-A Output: Total 20W[Max]"
Charging Port	2*USB + 1*Type-C + 2*Socket 3pin
Material	PVC Anti Flaming
Spec A	Overcharge Protection
Spec B	Overload Protection
Spec C	Anti-Surge Protection
Spec D	Short Circuit Protection
Spec E	Night Lamp (Touch Control)

“2500W power suitable for any size of household appli-ances and mobile devices.20W high power, charge fast for tablets and phones which support PD3.U and 003.0 fastcharging protocol.With EU plug, one device with 2 outlets & 3 USB ports which can charge for multiple devices simultaneously.Simultaneously helps to protect multiple-electronic devices while accommodating large adapters.Protect up to 5 devices against spikes, fluctu-ations, and electromagnetic interference.”

SC-2413

code: 1501103

Power Socket 20W PD (5*output)







SC-2413

code: 1501103

input	100-250V / 50-60HZ 10A[Max]
output	"Rated Power: 2500W Max PD Output: 5V-3A / 9V-2.22A / 12V-1.67A / 20W [Max] QC3.0 Output: 5V-3A / 9V-2A /12V-1.5A 18W[Max] USB-A Output: 5V-2.4A 12W Max USB-C + USB-A Output: Total 20W[Max]"
Charging Port	3*USB + 1*Type-C + 2*Socket 3pin
Material	PVC Anti Flaming
Spec A	Overcharge Protection
Spec B	Overload Protection
Spec C	Anti-Surge Protection
Spec D	Short Circuit Protection
Spec E	Night Lamp (Touch Control)

“20W high power, which can quickly charge phones and tablets that support PD3.0 and QC 3.0 fast charging protocols. Output: 2500W, suitable for: any size of household appliances and mobile devices.
Helps protect multiple electronic devices simultaneous-ly when accommodating large adapters.
Extended outlet: One device with 2 outlets& 4 USB ports which can charge for multiple devices simultaneously.
Protect up to 6 devices against spikes, fluctuations, and electromagnetic interference.”

SC-3604

code: 0

Power Socket Auto MAX 3.4A







SC-3604

code: 0

input	100-250V / 50-60HZ 10A[Max]
output	DC5V - 3.4 A 17W
Charging Port	3*spckets combo + 6 * USB
Material	PVC Anti Flaming
Spec A	Overcharge Protection
Spec B	Overload Protection
Spec C	Anti-Surge Protection
Spec D	Short Circuit Protection
Spec E	Night Lamp (Touch Control)


“The integrated ABS shell. 850 C anti-flaming.
Integrated copper, no welding spot and with stable cur-rent.2500W output. suitable for any size of household appliances and mobile devices.
Protect up to 11 devices against spikes, fluctuations. and electromagnetic interference.
2M. heavy-duty power cord. Helps ensure optimal pow-er tlowto connected devices.Simultaneously helps to protect multiple-electronic devices while accommodating large adapters.”

SC-5614

code: 1501107

Power Strip 17W (11*Output)







SC-5614

code: 1501107

input	100-250V / 50-60Hz 10A[Max]
output	"250V - 2500W 5V-3.4A (Auto ID) 12W Max Total : 17W Max"
Charging Port	6*USB + 5*Socket 3pin
Material	-
Spec A	Smart Chip
Spec B	Child Security Door
Spec C	Anti Flaming


“The integrated ABS shell. 850 C anti-flaming.
Integrated copper, no welding spot and with stable cur-rent.2500W output. suitable for any size of household appliances and mobile devices.
Protect up to 11 devices against spikes, fluctuations. and electromagnetic interference.
2M. heavy-duty power cord. Helps ensure optimal pow-er tlowto connected devices.Simultaneously helps to protect multiple-electronic devices while accommodating large adapters.”

SCW3451

code: 1501104

Wifi Smart Power Strip 30W (7*Output)







SCW3451

code: 1501104

input	100–250V / 50–60HZ 10A[Max]
output	"Rated Power: 2500W Max PD Output: 5V–3A / 9V–2.22A / 12V–1.67A / 20W [Max] QC3.0 Output: 5V–3A / 9V–2A /12V–1.5A 18W[Max] Auto ID output : 5V–2.4A USB–C + USB–A Output: Total 30W[Max]"
Charging Port	3*USB + 1*Type–C + 3*Socket 3pin
Material	PVC Anti Flaming
Spec A	Wifi Smart Power Strip
Spec B	QC 3.0
Spec C	PD 30W

“Intelligent linkage make normal electrical device intelligent, such as smart door–lock, temperature and humidity sensor and so on.
Timing switch can make electrical appliance start or end working according to instructions, avoid device from over–charging, and avoid resource wasting problem caused by long time operating.
4 USB ports support 30W high power, support PD 30W and QC3.0 fast Charging protocol, and support fast charging of ordinary tablets and mobile phones.

NeckBand



Neckband

SP1 – LS100

code: 2801101

Wireless Earphone







SP1 – LS100

code: 2801101

Blutooth Version	5.3
Standby Time	130 H
Transmission Distance	10 M
Charging Voltage	DC 5V
Talk Time	About 20 hours
Battery Capacity	200 mAh
Spec A	Music player
Spec B	HD Microphone
Spec C	long Battery Life
Spec D	Wire Control

Short Press for Next Song
Long Press for Volume Up
Long Press for Tu rn ON! OFF
Short Press for Play/Pause/Answer Key
Short Press for Previous Song
Long Press for Volume Down”

SP8 – LS88

code: 2801100

Wireless Earphone







SP8 – LS88

code: 2801100

Blutooth Version	5.3
Standby Time	130 H
Transmission Distance	10 M
Charging Voltage	DC 5V
Talk Time	About 20 hours
Battery Capacity	1000 mAh
Spec A	Music player
Spec B	HD Microphone
Spec C	long Battery Life
Spec D	Wire Control

Short Press for Next Song
Long Press for Volume Up
Long Press for Tu rn ON! OFF
Short Press for Play/Pause/Answer Key
Short Press for Previous Song
Long Press for Volume Down”

NB-400

code: O

Wireless Earphone







NB-400

code: 0

Blutooth Version	5.4
Standby Time	600 H
Transmission Distance	10 M
Charging Voltage	DC 5V
Talk Time	About 20 hours
Battery Capacity	1000 mAh
Spec A	Music player
Spec B	HD Microphone
Spec C	long Battery Life
Spec D	Wire Control

Short Press for Next Song
Long Press for Volume Up
Long Press for Tu rn ON! OFF
Short Press for Play/Pause/Answer Key
Short Press for Previous Song
Long Press for Volume Down”

NB-402

code: 0

Wireless Earphone








NB-402

code: 0

Blutooth Version	5.4
Standby Time	150H
Transmission Distance	10 M
Charging Voltage	DC 5V
Talk Time	About 20 hours
Battery Capacity	250 mAh
Spec A	Music player
Spec B	HD Microphone
Spec C	long Battery Life
Spec D	Wire Control

Short Press for Next Song
Long Press for Volume Up
Long Press for Tu rn ON! OFF
Short Press for Play/Pause/Answer Key
Short Press for Previous Song
Long Press for Volume Down”



HeadPhone

HeadPhone




B10

code: 1901100

True Wireless Headphone







B10

code: 1901100

Unit	40mm
Capacity Battery	400 mAh
function	Volume Control. pause/play Device. Mic
Play time	48 hours
Stead by time	100 Hours
Frequency response	20 Hz – 20 KHz
Cord Length	1.2 m
Connector	3.5 mm
Sensitivity	114 dab/mW
Audio Source	communication equipment
Spec A	V 5.3 + EDR
Spec B	Button Operation

“SBC/AAC/aptX/LDAC Codec Supported Clear Clear Voice Hands Free Calling Wih Built In Microphone And Hd Voice Support 9mm Driver Unit That Supports High Resolution [with Wired Operation] Music Time up To 48 Hours One–touch Connection With Near Field Com–munication 1.The Phone On The Other End Requires To Support “”hd Voice‘ Function!‘
2. End Compatible Smartphone ls Required To Use one–touch“ Connection”” 3.The Actual Range Will Vary De–pending On Factors Such As Obslacled Between Devices Magnetic Fields Microwave Oven. Static Electricity. Re–ception Sensitivity.

B30

code: 1901101

Dazzling Wireless Headphone







B30

code: 1901101

Unit	40mm
Capacity Battery	400 mAh
function	Volume Control. pause/play Device. Mic
Play time	48 hours
Stead by time	100 Hours
Frequency response	20 Hz – 20 KHz
Cord Length	1.2 m
Connector	3.5 mm
Sensitivity	114 dab/mW
Audio Source	communication equipment
Spec A	V 5.3 + EDR
Spec B	RGB LED

“SBC/AAC/aptX/LDAC Codec Supported Clear Clear Voice Hands Free Calling Wih Built In Microphone And Hd Voice Support 9mm Driver Unit That Supports High Resolution [with Wired Operation] Music Time up To 48 Hours One–touch Connection With Near Field Com–munication 1.The Phone On The Other End Requires To Support “”hd Voice‘ Function!‘
2. End Compatible Smartphone ls Required To Use one–touch“ Connection”” 3.The Actual Range Will Vary De–pending On Factors Such As Obslacled Between Devices Magnetic Fields Microwave Oven. Static Electricity. Re–ception Sensitivity.

Earbuds



Earphones Wireless

JBQ

AB-120B

code: O

Double Noise Reduction New Upgrade







AB-120B

code: 0

Blutooth Version	5.3
Talk Time	About 5H
Transmission Distance	10M
Charging Voltage	1.5H
Case charging	about 2H
Battery Capacity	500mAh
Spec A	HFP/HSP/A2DP
Spec B	ANC/ active noise cancellation
Spec C	Environmental noise cancellation



Effectively eliminate external noise
shield the surrounding noise for better call quality

AB-120C

code: O

Double Noise Reduction New Upgrade







AB-120C

code: 0

Blutooth Version	5.3
Talk Time	About 5H
Transmission Distance	10M
Charging Voltage	1.5H
Case charging	about 2H
Battery Capacity	500mAh
Spec A	HFP/HSP/A2DP
Spec B	ANC/ active noise cancellation
Spec C	Environmental noise cancellation

Effectively eliminate external noise
shield the surrounding noise for better call quality

AB-125

code: 0

OWS Earbuds bone conduction EARBUDS







AB-125

code: 0

Blutooth Version	5.3
Talk Time	About 5H
Transmission Distance	10M
Charging Voltage	2.5H
Case charging	about 2H
Battery Capacity	500mAh
Spec A	HFP/HSP/A2DP
Spec B	7H music time
Spec C	30H play time

No need to adapt to the angle and height of the ear
No need to adapt to the size of earplugs, not to pick the ear pain

BT-52

code: 0

AIRBUDS PRO 2







BT-52

code: 0

Blutooth Version	5.0
Talk Time	About 5H
Transmission Distance	10M
Charging Voltage	2.5H
Case charging	about 2H
Battery Capacity	500mAh
Spec A	HFP/HSP/A2DP
Spec B	7H music time
Spec C	30H play time

TWS imported loudspeaker high-definition sound quality, imported 5.0 chips.
Magnetically absorbent top cover, feel,loss-proof.
Useenvironmentally friendly materials, high gloss.
Full Touch Single Touch Earphone Achieves Caller Answering and Hanging at One Time.
SupportinglOS system earphone, with power indication.
MODEL: BT-52
AAAR

BT-53

code: 0

3rd generation





BT-53

code: 0

Blutooth Version	5.0
Talk Time	About 5H
Transmission Distance	10M
Charging Voltage	2.5H
Case charging	about 2H
Battery Capacity	500mAh
Spec A	HFP/HSP/A2DP
Spec B	7H music time
Spec C	30H play time

TWS imported loudspeaker high-definition sound qual-
ity, imported 5.0 chips.
Magnetically absorbent top cover, feel,loss-proof.
Useenvironmentally friendly materials, high gloss.
Full Touch Single Touch Earphone Achieves Caller An-
swering and Hanging at One Time.
SupportinglOS system earphone, with power indication.
MODEL: BT-53
AAAR

Earphone



S-02

code: 1801100

Stereo earphone universal permium







S-02

code: 1801100

Output	Jack 3.5mm
CORD	100cm
Control Button	Yes
Cord	100cm
Answer and End	One Touch Button

“Hands-free headset allows you to talk on the phone without holding the phone. Quality audio experience Engineered for
optimum voice quality. One touch button to answer and end calls.”

S-02

code: 1801100

Stereo earphone universal permium








S-02

code: 1801100

Output	Jack 3.5mm
CORD	100cm
Control Button	Yes
Cord	100cm
Answer and End	One Touch Button

“Hands-free headset allows you to talk on the phone without holding the phone. Quality audio experience Engineered for
optimum voice quality. One touch button to answer and end calls.”



Wireless Mic

Wireless Microphone



MPH-C8

code: 2701100

Wireless Microphon Type-C







MPH-C8

code: 2701100

Transmission Distance	About 30M (Barrier-free)
Working Frequency	2.4GHZ
Frequency Range	20Hz-20KHz
Transmission Latency	25ms
Sensitivity	-38 dBFS
Mic Single-Use Time	About 5H
Mic Battery Capacity	70mAh
Charging Input	Mic'1 with 450mAh / Mic'2 with 600mAh
Spec A	Live Show
Spec B	Interview
Spec C	Vlog Short Video

Plug and Play Wireless Microphon, Long Working Time,Widely Compatible, Real Time Sound Reception

MPH-i8

code: 2701101

Wireless Microphon lightning







MPH-i8

code: 2701101

Transmission Distance	About 30M (Barrier-free)
Working Frequency	2.4GHZ
Frequency Range	20Hz-20KHz
Transmission Latency	25ms
Sensitivity	-38 dBFS
Mic Single-Use Time	About 5H
Mic Battery Capacity	70mAh
Charging Input	Mic'1 with 450mAh / Mic'2 with 600mAh
Spec A	Live Show
Spec B	Interview
Spec C	Vlog Short Video

Plug and Play Wireless Microphon, Long Working Time,Widely Compatible, Real Time Sound Reception

HUB Devices

Hub Devices

HDT-01

code: 2101100

Type-C to HDMI Convertor 4K-HD







HDT-01

code: 2101100

interface	**Type-C to HDMI**
resolution support	**4k - HD**

“The highest resoiution is 38-40*2160/30Hz
USB 3.1 TYPE-C INPUT PORTCOMPATIBLE WITH USB-C INTERFACE STANDARD
Support the latest USB 3.1 Type-C enabled lap-tops,smart phones,tablets,etc
Built-in conversion Chipplug and play”

HDT-31

code: 2101102

Type-C to USB 3.0 + HDMI + PD







HDT-31

code: 2101102

interface	Type-C to USB 3.0 + HDMI + PD
resolution support	4K
Spec A	Yes
Spec B	100w Output
Spec C	Speed up to 5Gbps

“The highest resolution is 3840*2160:’30Hz
USB 3.0 TYPE-C INPUT POFFECOMPATIBLE WITH USB-C INTERFACE STANDARD
Support the latest USB 3.0 Type-C enabled laprops,smartphones,tablets,etc
Built-in conversion chipplug and p1ay”

HDT-121

code: 2101103

Type-C Hub Docking Station (12in1)







HDT-121

code: 2101103

interface	**Type-C Hub Docking Station**
resolution support	**4K**
Spec A	**steel**
Spec B	**100W output**
Spec C	**"USB3.0*5+HDTV+VGA+ RJ45+3.5mm AUDIO+ SD/TF CARD READING"**

“Supports 100W fast charging, which can quickly charge notebooks
HDTV intenace supports high-definition visual effects
HDTV’+VGA dual video interface, connect TV, projector, monitor and other large-screen devices
5 standard USB3.0 ports, can connect mouse, keyboard, U disk, etc.
Provide 1000MBPS network port, game/office/down-load can be unimpeded Simultaneous reading oi TFISD card, high compatibility and no conflict 3.5MM audio in-terface, can be connected to headphones, speakers, etc.
Using independent smart chip, multi-function can be used at the same time”

LA-40

code: 2101101

Lightning to Lightning + SD/TF Card Reader + USB 3.0 (4in1)








LA-40

code: 2101101

interface	Lightning to Lightning + SD/TF Card Reader + USB 3.0
resolution support	-

Support SD/T F and other mainstream memory cards to read and write data and are backward compatible. dual card slots can work at the same time. mutual data transfer bid farewell to repeated insertion



Phone Holder

Phone Holder

HLC-01

code: 1101100

Free Stretch Holder (2 in 1)







HLC-01

code: 1101100

input	-
output	-
Material	Aviation Aluminum
Rotation	360 degree
Wireless Support	no
Magnetic	no
Short Desc.	Gravity lock
Spec A	Mechanical Design
Spec B	Thick Silicon Pad
Spec C	High -gloss Process

“Air Outlet and Dashbord Gravity Bracket
1. Aviation aluminum material, anodized, high-gloss process, extraordinary texture
2. Mechanical design, the center of gravity does not shift, stable and anti-bump.
3. Easy to install, easy to pick and ptace, keep stable.
4.360” rotation, adjust the angle as you want.
5. Thick silicone pad, stable and does not hurt the phone.
6. Upgrade the instrument stand bracket, more stable, three-section telescopic design freely
adjustable length.
7. Convenient design, increase the space for placing of cable, easy storage.”


HLC-02

code: 1101101

Free Stretch Holder (2 in 1)







HLC-02

code: 1101101

input	-
output	-
Material	Aviation Aluminum
Rotation	360 degree
Wireless Support	no
Magnetic	no
Short Desc.	Gravity lock
Spec A	Mechanical Design
Spec B	Thick Silicon Pad
Spec C	High -gloss Process

“Air Outlet and Dashbord Gravity Bracket
1. Aviation aluminum material, anodized, high-gloss process, extraordinary texture
2. Mechanical design, the center of gravity does not shift, stable and anti-bump.
3. Easy to install, easy to pick and ptace, keep stable.
4.360” rotation, adjust the angle as you want.
5. Thick silicone pad, stable and does not hurt the phone.
6. Upgrade the instrument stand bracket, more stable, three-section telescopic design freely
adjustable length.
7. Convenient design, increase the space for placing of cable, easy storage.”


HLC-03

code: 1101104

Retrachtable Magnetic Car Holder







HLC-03

code: 1101104

input	-
output	-
Material	Aviation Aluminum
Rotation	720 degree
Wireless Support	no
Magnetic	no
Short Desc.	Gravity lock
Spec A	Mechanical Design
Spec B	Thick Silicon Pad
Spec C	High -gloss Process

“Air Outlet and Dashbord Gravity Bracket
1. Aviation aluminum material, anodized, high-gloss process, extraordinary texture
2. Mechanical design, the center of gravity does not shift, stable and anti-bump.
3. Easy to install, easy to pick and ptace, keep stable.
4.360” rotation, adjust the angle as you want.
5. Thick silicone pad, stable and does not hurt the phone.
6. Upgrade the instrument stand bracket, more stable, three-section telescopic design freely
adjustable length.
7. Convenient design, increase the space for placing of cable, easy storage.”

HLC-04

code: 1101105

Duoble Air outlet







HLC-04

code: 1101105

input	-
output	-
Material	Aviation Aluminum
Rotation	720 degree
Wireless Support	no
Magnetic	no
Short Desc.	Gravity lock
Spec A	Mechanical Design
Spec B	Thick Silicon Pad
Spec C	High -gloss Process

“Air Outlet and Dashbord Gravity Bracket
1. Aviation aluminum material, anodized, high-gloss process, extraordinary texture
2. Mechanical design, the center of gravity does not shift, stable and anti-bump.
3. Easy to install, easy to pick and ptace, keep stable.
4.360” rotation, adjust the angle as you want.
5. Thick silicone pad, stable and does not hurt the phone.
6. Upgrade the instrument stand bracket, more stable, three-section telescopic design freely
adjustable length.
7. Convenient design, increase the space for placing of cable, easy storage.”

HLC-38

code: 1101102

Semi Automatic Car Holder (2 in 1)







HLC-38

code: 1101102

input	-
output	-
Material	Aviation Aluminum
Rotation	Multi Angle neck
Wireless Support	no
Magnetic	no
Short Desc.	Gravity lock
Spec A	Mechanical Design
Spec B	Thick Silicon Pad
Spec C	High -gloss Process

“Air Outlet and Dashbord Gravity Bracket
1. Aviation aluminum material, anodized, high-gloss process, extraordinary texture
2. Mechanical design, the center of gravity does not shift, stable and anti-bump.
3. Easy to install, easy to pick and ptace, keep stable.
4.360” rotation, adjust the angle as you want.
5. Thick silicone pad, stable and does not hurt the phone.
6. Upgrade the instrument stand bracket, more stable, three-section telescopic design freely
adjustable length.
7. Convenient design, increase the space for placing of cable, easy storage.”

HLC-39

code: 1101103

Free Hand Shock Proof Car Holder







HLC-39

code: 1101103

input	-
output	-
Material	Aviation Aluminum
Rotation	Multi Angle neck
Wireless Support	no
Magnetic	no
Short Desc.	Gravity lock
Spec A	Mechanical Design
Spec B	Thick Silicon Pad
Spec C	High -gloss Process

“Air Outlet and Dashbord Gravity Bracket
1. Aviation aluminum material, anodized, high-gloss process, extraordinary texture
2. Mechanical design, the center of gravity does not shift, stable and anti-bump.
3. Easy to install, easy to pick and ptace, keep stable.
4.360” rotation, adjust the angle as you want.
5. Thick silicone pad, stable and does not hurt the phone.
6. Upgrade the instrument stand bracket, more stable, three-section telescopic design freely
adjustable length.
7. Convenient design, increase the space for placing of cable, easy storage.”

HLC-235

code: 1101109

Folding Magnetic Suction Braket







HLC-235

code: 1101109

input	-
output	-
Material	Aviation Aluminum
Rotation	Multi Angle neck
Wireless Support	no
Magnetic	no
Short Desc.	Gravity lock
Spec A	Mechanical Design
Spec B	Thick Silicon Pad
Spec C	High -gloss Process

“. Aviation aluminum material, anodized, high-gloss process, extraordinary texture.
. Mechanical design, the center of gravity does not shift, stable and anti-bump.
. Easy to install, easy to pick and place, keep stable. .360“ rotation, adjust the angle as you want-
. Thick silicone pad, stable and does not hurt the phone.
. Upgrade the instrument stand bracket, more stable, three-section telescopic design, freely adjustable length.
. Convenient design, increase the space for placing of cable, easy storage.
“

HLC-511

code: 1101106

Car Mount Wireless Charger







HLC-511

code: 1101103

input	5V⎓3A / 9V⎓2A / 12V⎓1.5A ⎓ 18W
output	15W
Material	Aviation Aluminum
Rotation	360 Degree
Wireless Support	yes
Magnetic	no
Short Desc.	Open With One Touch
Spec A	Charging Port Type-C
Spec B	Fast Charge 15W
Spec C	Air Outlet Chuck

“This 15W wireless charging car mount supports Oi wire-
less charging standard,
it can provide fast charging for Huawei/iPhone/Xiaomi/
Samsung cell phone
models, automatically matching the best current of
15W/10W/7.5W/5W. It uses
the principle of mechanics to adapt to different phone
sizes and lock the phone
firmly, so it is safe to use in the car.”

HLC-525

code: 1101107

Mgnetic Wirless Car Charger Holder (2 in 1)







HLC-525

code: 1101107

input	5V⎓3A / 9V⎓2A / 12V⎓1.5A ⎓ 18W
output	15W
Material	Aviation Aluminum
Rotation	360 Degree
Wireless Support	yes
Magnetic	no
Short Desc.	PD + QC 3.0
Spec A	Charging Port Type-C
Spec B	Fast Charge 15W
Spec C	Air Outlet Chuck

“This 15W wireless charging car mount supports Oi wire-less charging standard,
it can provide fast charging for Huawei/iPhone/Xiaomi/Samsung cell phone
models, automatically matching the best current of 15W/10W/7.5W/5W. It uses
the principle of mechanics to adapt to different phone sizes and lock the phone
firmly, so it is safe to use in the car.”

HO-1122

code: O

Detachable magsafe phone holder





HO-1122

code: O

input	-
output	-
Material	Aviation Aluminum
Rotation	360 Degree
Wireless Support	no
Magnetic	no
Short Desc.	iphone direct adsorption
Spec A	Velcro it can be disassembled at will

Fix the holder in a suitable position on the dashboard of your car to avoid obstructing the driver's view.
iP15 14 13 12 series mobile phones can be directly ad–sorbed without
phone case
Note: Other non–magsafe mobile phones and cases must be attached to the back of the phone with a metal sheet to be used (included).
After fixed, you can adjust the direction of the phone as needed

MG-08

code: 1101112

Magnetic Car Phone Holder







MG-08

code: 1101112

input	-
output	-
Material	Aviation Aluminum
Rotation	360 Degree
Wireless Support	no
Magnetic	yes
Short Desc.	Magnetic Car Phone Holder
Spec A	

“Upgraded magnetism
Stronger magnetism which won’t affect normal use of phone.
Mini&portable:
Mini size design is portable and space-saving.
Specification
Material; ABS+Alurninum+Silicone
Suitable for Mobile phone
 Easy installation:
One-step installation which makes you only need to stick it on car.
360° rotation:
 Duai-side adapt aluminum copper bail as strong point which can fix the phone or tablet easily. “

MG-372

code: 1101113

Folding Magnetic Car Phone Holder







MG-372

code: 1101112

input	-
output	-
Material	Aviation Aluminum
Rotation	360 Degree
Wireless Support	no
Magnetic	yes
Short Desc.	Magnetic Car Phone Holder
Spec A	

Just stick the base of the car magnetic phone holder to the cleaned surface, lock it in
place, and adjust the best position according to your driving situation. This phone holder
is widely suitable for cars, trucks, suvs_ pickups, taxis and Uber drivers. It is also a mobile
phone holder for desks, ideal for home, office use.”

MW21-1

code: 1101108

Mgnetic Wirless Car Charger Holder (2 in 1)







MW21-1

code: 1101108

input	5V⎓3A / 9V⎓2A / 12V⎓1.5A ⎓ 18W
output	15W
Material	-
Rotation	360 Degree
Wireless Support	yes
Magnetic	no
Short Desc.	Charging Port Type-C
Spec A	Fast Charge 15W

“This 15W wireless charging car mount supports Qi wire-
less charging standard,
it can provide fast charging for Huawei/iPhone/Xiaomi/
Samsung cell phone
models, automatically matching the best current of
15W/10W/7.5W/5W. It uses
the principle of mechanics to adapt to different phone
sizes and lock the phone
firmly, so it is safe to use in the car.”

HO-22420

code: O

Car Charger Holder







HO-22425

code: O

Car Charger Holder









Wireless Charging Dock

Wireless Charging Dock



WIC-01

code: 0

Wireless Charging Station







WIC-04

code: O

Wireless Charging Station







WLC-31

code: 0

Wireless Charging Dock 15W (4in1)







WLC-31

code: 1601101

input	12V—2A9V-2A 5V-2A
output	15W/10W/ 7.5W/5W
Watch output	2.5W(Apple Watch 1. 2.3. 4. 5. 6)
Earphone output	3W (Phone or A pple AirPods 2.Pro;Galaxy
Charging Port	with Type-C Cable
Material	PC+ rubber oil
Color	black. white. blue. pink
Spec A	LED for Working

“Charge phones + Airpods + watch in same time.
Charging distance: 3 –10mm
Charging ef□ciency: 75%
Working frequency: 100–205KHz
“

WLC-41

code: 0

Wireless Charging Dock 15W (4in1)







WLC-41

code: 1601100

input	12V—2A9V-2A 5V-2A
output	15W/10W/ 7.5W/5W
Watch output	2.5W(Apple Watch 1. 2.3. 4. 5. 6)
Earphone output	3W (Phone or A pple AirPods 2.Pro;Galaxy
Charging Port	with Type-C Cable
Material	PC+ rubber oil
Color	black. white. blue. pink
Spec A	LED for Working

Charge phones + Airpods + watch in same time.
Charging distance: 3 –10mm
Charging ef□ciency: 75%
Working frequency: 100–205KHz